

Robt. Phaxton's 1808

THE
PHYSICIANS' VADE MECUM.

PHYSICIANS' VADE MECUM.

THE
PHYSICIANS' VADE MECUM;

BEING
A COMPENDIUM
OF
NOSOLOGY AND THERAPEUTICS,
FOR THE
USE OF STUDENTS.

BY
THE REV. JOSEPH TOWNSEND,
RECTOR OF PEWSEY, WILTS.


Fifth Edition.

LONDON:

PRINTED BY C. WHITTINGHAM,
FOR H. D. SYMONDS, PATERNOSTER-ROW;
And Sold by J. Johnson, St. Paul's Church Yard; T. Cox, St. Thomas's
Street, Borough; Murray and Highley, Fleet Street; Archer, Dublin;
and Bell and Bradfute, Edinburgh.

1799.

THE
PHYSICIANS' VADE MECUM



8467

THE REV. JOSEPH TOWNSEND

EDITOR OF THE "VADE MECUM"

NEW YORK

FOR N. L. SYMONDS, EASTBROOK, N. H.
AND WILLIAM L. SYMONDS, NEW YORK, N. Y.
PRINTED BY C. WHITTAKER, NEW YORK, N. Y.



***I**N this Compendium of Nosology, I have, as far as possible, confined myself to the system and the genera of my venerable master Dr. Cullen, whose memory and justly acquired reputation will be ever dear to those who studied in his school, and were honoured with his friendship. Of all the systems which have yet appeared, his for a practitioner is undoubtedly the best: yet in some few instances I have departed from him; but it has been chiefly where he hesitates himself.*

My reasons for these variations, as requiring disquisitions ill suited to a Compendium, I must here omit.

The utility of classical distinctions is almost universally acknowledged; yet nothing is more difficult than to make such an arrangement as shall meet with universal approbation. It will, however, be acknowledged sufficient for every useful purpose, if we can with precision ascertain the name and nature of a disease, although we should not perfectly agree as to its proper place in a system of Nosology. Having once formed his diagnosis, the skilful practitioner will next proceed to investigate, where it is possible, the proximate cause of the disease; and where that is not to be discovered, he will pay particular attention both to the occasional and to the predis-

posing cause. In all these investigations the younger students will, I trust, receive some assistance from the Compendium now presented to the public; and with a moderate share of penetration will be enabled, in most cases, to determine what are the most judicious indications to effect a cure.

For the Compendium of Therapeutics I have been indebted principally to Drs. Duncan, Whytte, Cullen, Elliot, Berkenhout; and for some of the most efficacious formula, I must acknowledge my obligation to Dr. NANKIVELL, whose fame is too well established in our metropolis to need any eulogium from my pen.


Should this little work meet with acceptance among either the students in our hospitals,

*or the medical practitioners in country vil-
lages, I shall think myself well rewarded for
my trouble.*

LONDON,

OCTOBER, 1792.

For the Compendium of Therapeutics I
have been indebted principally to Mr. John
Carr, Mr. John Colles, Mr. John Keightley, and
for some of the most excellent formulae I
must acknowledge my obligation to Mr. Han-
dley. Several names in the work are
in some respects in total and exclusive
my own.
Should this little work meet with acceptance
among either the students in our hospitals,



**CLASSES, ORDERS, GENERA,
AND
SPECIES OF DISEASE.**

CLASSES,

WITH CHARACTERISTIC SYMPTOMS.

CLASS.

I. PYREXIÆ

After cold shivering, a frequency of pulse, with increase of heat, and especially among other impaired functions, a diminution of strength.

II. NEUROSES

Affections of sense and motion, disturbed; without either idiopathic pyrexia, or topical disease.

III. CACHEXIÆ

A depraved habit of body; without pyrexia, and independant of neurosis, as original diseases.

IV. LOCALES

Morbid affections, which are partial.

ORDERS,

DISTINGUISHED BY THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDERS.

- | | |
|---------------------------|---|
| I. <i>Febres</i> ----- | { Pyrexia, without primary local affection. |
| II. <i>Phlegmasiæ</i> -- | { Pyrexia, with topical pain and inflammation. The blood after venesection exhibits the buff coat. |
| III. <i>Exanthemata</i> - | { Contagious diseases, beginning with fever, and followed by an eruption on the skin. |
| IV. <i>Hæmorrhagiæ</i> - | { Pyrexia, with a discharge of blood, without any external injury, the blood on venesection exhibiting the buff coat. |
| V. <i>Profluvia</i> ----- | { Pyrexia, with increased excretions. |

CLASS II. NEUROSES.

- | | |
|------------------------|---|
| I. <i>Comata</i> ----- | { A diminution of the powers of voluntary motion, with sleep, or the senses impaired. |
|------------------------|---|

ORDERS.

- II. *Adynamia* -- { A diminution of the involuntary motions of either vital or natural functions.
- III. *Spasmi* ---- { A morbid contraction, or motion of muscular fibres.
- IV. *Vesania* ---- { The judgment impaired, without either coma, or pyrexia.

CLASS III. CACHEXIAE.

- I. *Marcores* --- Universal emaciation.
- II. *Intumescenciae*. General swellings.
- III. *Impetigines* - { Cachexia, deforming the external parts of the body with tumours, eruptions, &c.

CLASS IV. LOCALES.

- I. *Dysaesthesia* - { The senses injured, or destroyed, by the imperfection of the organs.
- II. *Dysorexia* -- { The appetite deficient, or depraved.

ORDERS.

- III. *Dyscinesie* -- { Motion impeded, or depraved, from an imperfection of the organ.
- IV. *Apoceneses* -- { A superabundant flux of blood, or humours, without pyrexia.
- V. *Epischeses* -- { A suppression of excretions.
- VI. *Tumores* --- { Partial swellings, without inflammation.
- VII. *Ectopia* ---- Parts displaced.
- VIII. *Dialyses* ---- A solution of continuity.



GENERA;
AND THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDER I. FEBRES.

GENERA.

- | | | |
|----------------------------|---|---|
| 1. <i>Intermittens</i> --- | { | Cold, hot, and sweating stages, in succession, attend each paroxysm, and are followed by an intermission, or remission. |
|----------------------------|---|---|

SPECIES

1. *quotidiana*.
2. *tertiana*.
3. *quartana*.

- | | | |
|--------------------------|---|---|
| 2. <i>Continua</i> ----- | { | No intermission, yet subject to exacerbations twice in one day. |
|--------------------------|---|---|

SPECIES.

1. *Synocha*. Heat increased; pulse frequent, strong, hard; urine high coloured; senses not much impaired.
2. *Typhus*. Contagious. Heat moderate; pulse quick, weak, small; senses much impaired; prostration of strength.

VARIETIES.

1. *petechialis*.2. *mitior*.3. *gravior*.4. *icterodes*.

GENERA.

3. *Hectica* -----

Exacerbations at noon,
but chiefly in the even-
ing, with slight remissi-
ons in the morning, af-
ter nocturnal sweats; the
urine depositing a fufu-
raceo-lateritiussediment;
appetite good; thirst mo-
derate.

This fever is symptomatic of

1. Chlorosis.

2. Schrophula.

3. Nephralgia, &c. v. genus 31.



CLASS I. PYREXIÆ.

ORDER II. PHLEGMASIÆ.

GENERA.

4. *Phlogosis* ----- { Redness; heat; pain; and
tumour on the surface of
the body.

SPECIES.

1. *Phlegmone*. Inflammation of a bright red colour; tumour pointed, throbbing, and tending to suppuration.
2. *Erythema*. Inflammation of a dull red colour, vanishing upon pressure, spreading unequally, with a burning pain, and tumour scarcely perceptible, ending in disquamation, or vesicles of the skin.

The phlogosis often terminates in

1. *Impostume*.
2. *Gangrene*.
3. *Sphacelus*.

5. *Ophthalmia* --- { Redness and pain of the
eye; intolerance of light;
with effusion of tears.

SPECIES.

1. *Ophthalmia Membranarum*. Inflammation in the coats of the eye, most commonly in the tunica conjunctiva,

SPECIES.

2. *Ophthalmia Tarsi*. Small ulcers in the sebaceous glands of the tarsus, discharging a glutinous matter.

GENERA.

6. *Phrenitis* ----- { Strong fever; violent head-
ach; redness of face and
eyes; impatience of light,
and noise; watchfulness;
and furious delirium.

SYMPTOMATIC.

1. exanthematica.
2. verminosa.
3. aphrodisiaca.
4. hydrophobica.
5. traumatica.
6. a dolore.

7. *Cynanche* ----- { Pain, and redness of the
fauces; deglutition, and
respiration, difficult.

SPECIES.

1. *Tonsillaris*, affecting the mucous membrane of the fauces, but more especially the tonsils.
2. *Maligna*, deglutition less difficult; a mucous crust of a whitish or ash-colour covers the tonsils and mucous membrane of the fauces, which are affected with spreading ulcers. These

SPECIES. symptoms are accompanied with typhus, and followed by exanthemata.

3. *Trachealis.* Respiration difficult; cough loud; no apparent tumour in the fauces.

4. *Pharyngæa.*

5. *Parotidæa.*

SYMPTOMATIC.

1. exanthematica.

2. arthritica.

3. hepatica.

GENERA.

8. *Pneumonia* ---- { Pyrexia; difficult respiration; cough; and pain in the thorax.

SPECIES.

1. *Peripneumonia.* The pulse not always hard, but sometimes soft; an obtuse pain in the breast; the respiration always difficult; sometimes the patient cannot breathe unless in an upright posture; the face swelled, and of a livid colour; the cough for the most part moist, frequently bloody.

2. *Pleuritis.* The pulse hard; a pungent pain in one side, aggravated during the time of inspiration; an uneasiness

when lying on one side; a most painful cough, dry in the beginning of the disease, afterwards moist, and frequently bloody.

These, if not resolved, are followed by

Vomica. Hectic; difficult respiration; cough; pain when lying on the sound side.

Empyema. The above symptoms, with remission of pain, and signs of hydrothorax.

9. *Carditis* -----

{ Pyrexia; pain in the region of the heart; anxiety; difficult breathing; cough; irregular pulse; palpitation; fainting.

10. *Peritonitis* ----

{ Pyrexia; pain in the abdomen, increased when erect.

11. *Gastritis* -----

{ Pyrexia; anxiety; heat and pain in the epigastrium, increased when any thing is taken into the stomach; vomiting; hickup; pulse small and hard; prostration of strength.

SPECIES.

1. *phlegmonodea*.
2. *crysipelatosa*, with milder symptoms.

GENERA.

- | | | |
|----------------------------|---|--|
| 12. <i>Enteritis</i> ----- | { | Pyrexia ; fixed pain in the abdomen ; costiveness ; vomiting. |
| 13. <i>Hepatitis</i> ----- | { | Pyrexia; tension and pain, more or less acute, in the right hypochondrium, usually referred to the top of the right shoulder, and extending to the clavicle, increased by lying on the left side ; urine high coloured. |
| 14. <i>Splenitis</i> ----- | { | Pyrexia; tension, heat, tumour, and pain in the left hypochondrium, increased by pressure. |
| 15. <i>Nephritis</i> ----- | { | Pyrexia ; pain in the region of the kidneys, and shooting along the course of the ureter ; drawing up of the testicle ; numbness of the thigh ; vomiting ; urine high coloured, and discharged ; costiveness, and colic pains. |

SYMPTOMATIC.

1. calculosa.

2. arthritica.

3. purulenta.

GENERA.

16. *Cystitis* -----

Pyrexia; tumour and pain in the hypogastrium; frequent and painful discharge of urine; tenesmus.

17. *Hysteritis* -----

Pyrexia; heat, tension, tumour, and pain in the hypogastrium; pain in the os uteri, when touched; vomiting.

18. *Rheumatismus* -----

Pyrexia; pains in the joints, increased by the action of the muscles belonging to the joint; heat on the part. The blood after venesection exhibits an inflammatory crust.

This disease terminates in

Arthrodynia, pain in the joints without pyrexia.

SPECIES.

1. *Lumbago*, affecting chiefly the loins.2. *Ischias*, - - - - - the hip joint.

GENERA.

19. *Odontalgia* --- Tooth-ach.

Pyrexia; pain in the joints, chiefly of the great toe, and especially of the hands and feet, returning at intervals: previous to the attack, the functions of the stomach are commonly disturbed.

20. *Podagra* ---

SPECIES.

1. *regularis*.2. *atonica*.3. *retrograda*.4. *aberrans*.21. *Arthropuosis* --

Pain of the joints, or muscles, often after contusion, deep, blunt, of long continuance; little or no tumour; no inflammation; pyrexia slight at first; at last hectic; and finally terminating in abscess.

CLASS I. PYREXIÆ.

ORDER III. EXANTHEMATA.

GENERA.

22. *Erysipelas* - - -

Synocha of two or three days continuance, with drowsiness most often, sometimes with delirium; pulse commonly full and hard; then *Erythema* in the face, with continuance of synocha; tending to either apoplexy, or to abscess.

SPECIES.

1. *vesiculosum*.2. *phlyctænodes*.23. *Pestis* - - - - -

Typhus, contagious in the extreme; prostration of strength; buboes and carbuncles; petechiæ, hemorrhage, and colliquative diarrhœa.

24. *Variola* - - - - -

Synocha; eruption of red pimples the third day, which on the eighth contain pus, and drying, fall off in crusts.

SPECIES.

1. *discreta*.2. *confluens*.

GENERAL.

Moderate synocha; pimples bearing some resemblance to *variola*, quickly forming pustules, which contain a fluid matter, and after three or four days from their first appearance desquamate, leaving no cicatrix.

25. *Varicella* -----

Synocha; hoarseness; dry cough; sneezing; drowsiness; about the fourth day eruption of small red points, discernible by the touch, which, after three days, end in mealy desquamation. Blood, after venesection, exhibits inflammatory crust.

26. *Rubeola* -----

GENERA.

27. *Miliaria* -----28. *Scarlatina* -----

SPECIES.

1. *simplex* without cynanche.
2. *cynanchica*.

Synochus; cold stage considerable; hot stage attended with anxiety and frequent sighing; sweat of a strong and peculiar smell; eruption, preceded by a sense of pricking, first on the neck and breast, of small red pimples, which in two days become white pustules, desquamate, and are succeeded by fresh pimples.

Contagious synocha; 4th day face swells, and a scarlet eruption appears on the skin in patches; which, after three or four days, ends in desquamation of the cuticle, or is succeeded by anasarca.

CLASS I. PYREXIÆ.

ORDER IV. HÆMORRHAGIÆ.

GENERA.

29. *Epistaxis* ----- { Bleeding at the nose, with pain, or fulness of the head.
30. *Hæmoptysis* ---- { Coughing up of florid, or frothy blood; heat or pain in the chest; irritation in the larynx; saltish taste.

SPECIES.

1. *plethorica*.
2. *violenta*.
3. *phthisica*.
4. *calculosa*.
5. *vicaria*.

31. *Phthisis* -----

{ Emaciation; debility, cough; hectic; purulent expectoration; hæmoptysis; diarrhœa.

SPECIES.

1. *hæmoptoica*.
2. *exanthematica*.
3. *chlorotica*.
4. *scrophulosa*.
5. *syphilitica*.

GENERA.

32. *Hæmorrhoids* ---

Flux of blood from the anus; pain there, and hæmorrhoids; vertigo; pain in the loins and head-ach.

33. *Menorrhagia* ---

A too copious menstrual flux.

SPECIES.

1. *rubra*.2. *abortiva*.3. *lochialis*.4. *vitiorum*.5. *alba*.

CLASS I. PYREXIÆ.

ORDER V. PROFLUVIA.

34. *Catarrhus* ----

Increased excretion of mucus from the membranes of the nose, fauces, and bronchiæ, with pyrexia, and attended by cough, thirst, lassitude, and want of appetite.

SPECIES.

1. *a frigore*.2. *a contagio*.

SYMPTOMATIC.

1. tussis exanthematica.

2. verminosa.

3. a dentitione.

4. arthritica.

GENERA.

35. *Dysenteria* ---

Contagious pyrexia; frequent griping stools; tenesmus; stools chiefly mucus, sometimes mixed with blood, the natural fæces being retained or voided in a hardened state; loss of appetite and nausea, arising from spasmodic constriction of the colon retaining hardened fæces.

CLASS II. NEUROSES.

ORDER I. COMATA.

36. *Apoplexia* ----

Abolition, in some degree, of the powers of sense and motion, with sleep, and sometimes snoring, the respiration, and motion of the heart, remaining.

SPECIES.

1. *sanguinea*.
2. *serosa*.
3. *hydrocephalica*. In early youth, lassitude, febricula, pain in the head, then a more sluggish pulse, dilated pupils, drowsiness, and apoplexia. The sutures of the cranium open.
4. *atrabilaria*.
5. *traumatica*.
6. *venenata*.
7. *mentalis*.
8. *cataleptica*.
9. *suffocata*.

SYMPTOMATIC.

1. *exanthematica*.
2. *arthritica*.
3. *verminosa*. Carus, cataphora, coma, and lethargus, are degrees only of apoplexy.

GENERA.

37. *Paralysis*

A loss of the power of voluntary motion affecting certain parts.

SPECIES.

1. *partialis*.
2. *hemiplegica*.
3. *paraplegica*.
4. *venenata*.

SYMPTOMATIC.

1. exanthematica.
2. arthritica.
3. verminosa.
4. scrophulosa.
5. syphilitica.
6. traumatica.

CLASS II. NEUROSES.

ORDER II. ADYNAMIÆ.

GENERA.

38. *Syncope*

The respiration, and action of the heart, either cease, or become much weaker than usual, with paleness and coldness, arising from diminished energy of the brain, or from organic affections of the heart.

SPECIES.

1. *cardiaca*, returning without a visible cause, and with violent palpitation of the heart during the intervals.
2. *occasionalis*, from a manifest cause.

GENERA.

39. *Dyspepsia* -----

Want of appetite; nausea;
vomiting; flatulence;
heart-burn; costiveness;
and pain in the stomach;
with other symptoms of
debility in the organ of
digestion.

SYMPTOMATIC.

1. schirrosa.
2. ulcerosa.
3. a veneno.
4. verminosa.
5. chlorotica.
6. gravidarum.
7. arthritica.
8. nephritica.

40. *Hypochondriasis*

Dyspepsia; languor and
want of energy; dejection
of mind and apprehension
of evil, more especially
respecting health without
sufficient cause; with a
melancholic temperament.

CLASS II. NEUROSES.

ORDER III. SPASMI.

In the Animal Functions.

GENERA.

41. *Tetanus* ----- { Spasmodic rigidity of almost the whole body.

VARIETIES ARE,

1. *opisthotonos*,
2. *emprosthotonos*, and
3. *Trismus*, or locked-jaw.

SYMPTOMATIC.

1. *syphiliticus*.
2. *verminosus*.

42. *Convulsio* ----- { Alternate relaxations, with violent and involuntary contractions of the moving fibres, without sleep.

43. *Chorea* ----- { Convulsive motions of the limbs or trunk.

44. *Raphania* ----- { A spasmodic contraction of the joints, with convulsive motions and most violent pain: periodical.

45. *Epilepsia* ----- { Convulsions with sleep, and usually froth issuing from the mouth.

SPECIES.

1. *traumatica*.
2. *a dolore*.
3. *verminosa*.
4. *a veneno*.
5. *exanthematica*.
6. *a cruditate ventriculi*.
7. *ab inanitione*.
8. *uterina*.
9. *ex onanismo*.

In the Vital Functions.

GENERA.

46. *Palpitatio* ----- { A palpitation of the heart, either constant or frequently returning.
47. *Asthma* ----- { Difficult respiration returning at intervals, with a sense of stricture across the breast and in the lungs; a wheezing; hard cough at first, but more free towards the close of every paroxysm, with a discharge of mucus, followed by a remission.
- SPECIES
1. *spontanæum*.
 2. *exanthematicum*.
 3. *plethoricum*.

SYMPOMATIC.

1. arthriticum.
2. venereum.

GENERA.

48. *Dyspnoea* -----

Difficult respiration continual, and without sense of stricture. Cough frequent through the whole course of the disease.

49. *Pertussis* -----

Convulsive, strangulating cough, with hooping, relieved by vomiting; contagious.

*In the Natural Functions.*50. *Pyrosis* -----

Heartburn, with copious eructation, generally of a watery insipid fluid.

51. *Colica* -----

Pain in the lower belly, and twisting round the navel; vomiting; costiveness.

SPECIES.

1. *spasmodica*.
2. *pictonum*, ending in palsy.
3. *stercorea*.

GENERA.

52. *Cholera* -----

A purging and vomiting of bile; anxiety; painful gripings; spasms of the abdominal muscles, and those of the thighs.

53. *Diarrhœa* -----

Frequent liquid stools with the natural excrement, but not contagious, and seldom attended with pyrexia.

SPECIES.

1. *crapulosa*.2. *biliosa*.3. *mucosa*.4. *cœliaca*.5. *lienteria*.6. *hepatirrhœa*.7. *verminosa*.54. *Diabetes* -----

A superabundant discharge of urine, which is limpid, and sweetish to the taste.

SYMPTOMATIC.

1. *hystericus*.2. *arthriticus*.

GENERA.

55. *Hysteria* - - -

SPECIES.

1. *chlorotica*.2. *a. menorrhagia*.3. *a. leucorrhœa*.4. *libidinosa*.56. *Hydrophobia* - -

A grumbling noise in the belly; a ball ascending to the throat, with a sense of suffocation; stupor; insensibility and convulsions; involuntary laughing and crying; sleep interrupted by sighs; urine limpid and abundant, previous to the fit; great sensibility and irritability of mind.

A dread of water, as inducing painful convulsions of the pharynx.

Erroneous judgment from imaginary perceptions, or recollections, attended with agreeable emotions in persons of a sanguine temperament. Vide Cas. ten, France, p. 1581.

CLASS II. NEUROSES.

ORDER IV. VESANIE.

GENERA.

57. *Amentia* - - -

Imbecility of intellect, by which the relations of things are either not perceived, or not recollected.

58. *Melancholia* - - -

Erroneous judgment, but not merely respecting health, from imaginary perceptions, or recollections, influencing the conduct, and depressing the mind with ill-grounded fears; not combined with either pyrexia or comatose affections; often appearing without dyspepsia, yet attended with costiveness, chiefly in persons of rigid fibres and torpid sensibility.

59. *Insania* - - - - -

Erroneous judgment from imaginary perceptions, or recollections, attended with agreeable emotions in persons of a sanguine temperament. Vide *Cullen's Practice*, §. 1581.

by
s of
per-
ect-

but
ing
ary
lec-
on-
the
ded
with
ma-
ap-
ep-
cos-
ber-
and

GENERA.

60. *Mania* -----

A conception of false relations; and an erroneous judgment, arising from imaginary perceptions or recollections, exciting the passions, and producing unreasonable actions or emotion, with a hurry of mind in pursuing a train of thought, and in running from one train of thought to another, attended with incoherent and absurd speech, called raving, and violent impatience of either contradiction, or restraint.

61. *Oneirodynia* --

{ Disturbed imagination
{ during sleep.

SPECIES.

1. *activa*. Walking in the sleep.
 2. *gravans*. The incubus or night-mare.
- from
ons,
ded
ons
ine
Cui-

CLASS III.

ORDER I.

GENERAL

62. *Tabes* } Emaciation; weakness;
 } hectic.

... ..

1. *purulenta*.
2. *scrophulosa*.
3. *venenata*.

63. *Atrophia* - - - - - } Emaciation; weakness,
but without hectic.

DATE OF BIRTH: 01/01/1968

1. *inanitorum*.
2. *famelicorum*.
3. *cacochymica*.
4. *debilium*.

CLASS III. CACHEXIE.

ORDER II. INTUMESCENTIE.

Adipose.

GENERA.

64. *Polysarcia* --- Troublesome obesity.

Flatulent.

65. *Pneumatosis* --- { Air collected in the cellular texture under the skin, rendering it tense, elastic, and crepitating.

SPECIES.

1. *spontanea.*

2. *traumatica.*

3. *venenata.*

4. *hysterica.*

66. *Tympanites* --- { Elastic distention of the abdomen, not readily yielding to pressure, and sounding like a drum, with costiveness and atrophy; but no fluctuation.

SPECIES.

1. *intestinalis*, with discharge of wind giving relief.

2. *abdominalis*, without such relief.

GENERA.

67. *Physometra* -- { A permanent elastic swelling in the hypogastrium from flatulent distention of the womb.

Aqueous.

68. *Anasarca* ----- { Swelling on the surface of the body; not elastic; pitting by the pressure of the finger; and rising slowly to its former fullness.

SPECIES.

1. *serosa*.
2. *exanthematica*.
3. *a compressione*.
4. *debilium*.

69. *Hydrocephalus* - { External swelling of the head, soft, not elastic.

The *internal hydrocephalus* has been described already as the third species of *Apoplexia*.

70. *Hydrorachitis* - { Tumour in new-born infants on the lumbal vertebrae, soft, and small.

GENERA.

71. *Hydrothorax* -- { Dyspnoea; paleness of face; adematous swellings of the feet; scarcity of urine; impatience of an horizontal position, with sudden starting from sleep, and palpitation; fluctuation of water in the chest.

72. *Ascites* ----- { Swelling of the abdomen, tense, and scarcely elastic; with fluctuation.

SPECIES.

1. *abdominalis*.2. *saccatus*.

73. *Hydrometra* -- { A swelling in the hypogastrium of females not pregnant; with fluctuation; no suppression of urine.

74. *Hydrocele* ----- { A soft tumour of the scrotum, increasing slowly, without pain, fluctuating, generally pellucid.

Of the Solids.

75. *Physconia* ----- { Tumour occupying chiefly one part of the abdomen, increasing slowly, and neither sonorous nor fluctuating.

SPECIES.

1. *hepatica.*
2. *spenica.*
3. *renales.*
4. *uterina.*
5. *ab ovario.*
6. *mesenterica.*
7. *omentalis.*
8. *visceralis.*

GENERA.

76. *Rachitis* -----

{ Large head; prominent forehead; protruded sternum; flattened ribs; big belly; emaciated limbs, with great debility.

CLASS III. CACHEXIÆ.

ORDER III. IMPETIGINES.

77. *Scrophula* -----

{ Swelled lymphatic glands; thick upper lip; obstinate ulcers; ophthalmia tarsi; indolent tumours on the joints; fair complexion; irritable habit.

GENERA.

78. Syphilis ----- A disease arising from impure connection, and appearing generally after a local affection of the organs, occasioning chancres; buboes; ulcers in the mouth and nose; clustered pimples of a copper colour, ending in scabby ulcers, chiefly situated near the hairy scalp; blotches on the surface of the body; nocturnal pain in the bones; nodes, &c.

79. Scorbutus -----

Extreme debility; complexion pale and bloated; spongy gums; livid spots on the skin; breath offensive; adematous swellings in the legs; hæmorrhages; foul ulcers; urine fætid; stools extremely offensive.

GENERA.

80. *Elephantiasis* ---

Skin, thick, rough, wrinkly, unctious, and void of hair; face deformed, with tubera; voice hoarse and sounding through the nose; want of feeling in the extremities. — It is contagious.

81. *Lepra* -----

The skin rough and chopped, with white surfuraceous scales and crusts, under which is frequently a moisture, with itching.

82. *Frambæsia* ---

Fungi, like mulberries, growing out of the skin in various parts of the body, and discharging ichor; infectious. Called *Yaws*.

83. *Trichoma* -----

The hair grows coarse and twisted into inextricable tangles. It is contagious. Called the *Plica Polonica*.

84. *Icterus* -----

Yellowness of the skin and eyes; fæces white; urine of a high colour. It tinges linen yellow.

SPECIES

1. *calculosus*, acute pain in the epigastric region, increasing after eating: gall stones pass by stool.
2. *spasmodicus*, without pain, after spasmodic diseases and passions of the mind.
3. *mucosus*, without either pain, gall-stones, or spasm, and relieved by the discharge of tough phlegm by stool.
4. *hepaticus*.
5. *gravidarum*.
6. *infantum*.

GENERA.

85. *Chlorosis* ----- { Dyspepsia; livid paleness;
great debility; palpitation;
depraved appetite,
with *amenorrhœa*.

CLASS IV. LOCALES.

ORDER I. DYSÆSTHESIÆ.

86. *Caligo* ----- { Sight diminished, or destroyed,
by the interposition of a dark body,
between the object and the retina.

SPECIES.

1. *lentis.*
2. *cornææ.*
3. *pupillæ.*
4. *humorum.*
5. *palpebrarum.*

GENERA.

87. *Amaurosis* -----

Sight diminished, or destroyed, without any visible injury of the eye: the pupil mostly dilated and immoveable.

SPECIES.

1. *compressionis.*
2. *atonica.*
3. *spasmodica.*
4. *venenata.*

88. *Dysopia* -----

Sight depraved, requiring one certain quantity of light, one particular distance, or one position.

SPECIES.

1. *tenebrarum.*
2. *luminis.*
3. *dissitorum.*
4. *proximorum.*
5. *lateralis.*

GENERA.

89. *Pseudoblepsis* --- { Sight depraved, creating
objects, or representing
them different from what
they are.

SPECIES.

1. *imaginaria*.2. *mutans*.

90. *Dysecæa* ----- { Hearing diminished, or
destroyed.

SPECIES.

1. *organica*, from wax in the meatus, injuries of the membrana, or inflammation and obstruction of the tuba.2. *atonica*, without any discernible injury of the organ.

91. *Paracusis* ----- Hearing depraved.

SPECIES.

1. *imperfecta*.2. *imaginaria*.

92. *Anosmia* ----- { Smell diminished, or de-
stroyed.

SPECIES.

1. *organica*.2. *atonica*.

GENERA.

93. *Ageusia* ----- { Taste diminished, or destroyed.
94. *Anæsthesia* ---- { Touch diminished, or destroyed.

CLASS IV. LOCALES.

ORDER II. DYSOREXIE.

95. *Bulimia* ----- { Appetite voracious or canine.

SYMPTOMATIC.

1. verminosa.
2. a rachitide.
3. ab acidis.

96. *Pica* ----- { Appetite depraved, or a strong desire of unnatural food.

SPECIES.

1. *infantilis*.
2. *chlorotica*.
3. *gravidarum*.
4. *medicatrix*.

97. *Polydipsia* ---- Excessive thirst.

SYMPTOMATIC.

1. febrilis.
2. hydropica.
3. fluxuum.
4. a venenis.

GENERA.

98. *Satyriasis* - - - { Excessive and violent desire for coition in men.

99. *Nymphomania*. The same in women.

100. *Nostalgia* - - - { Impatience when absent from one's native home, and vehement desire to return, attended with gloom and melancholy, loss of appetite, and want of sleep.

101. *Anorexia* - - - Appetite impaired

This is merely symptomatic

102. *Anaphrodisia* - Impotence.

SPECIES.

1. *paralytica*.
2. *gonorrhoeica*.

CLASS IV. LOCALES.

ORDER III. DYSCINESIAE.

GENERA.

103. *Aphonia* { Suppression of the voice,
without either syncope,
or coma.

104. *Mutitas* --- Dumbness.

SPECIES

1. *organica*.
2. *atonica*.
3. *surdorum*.

105. *Paraphonia* -- Depravation of voice.

106. *Psellismus* --- } Vitiated articulation of the
voice.

107. *Strabismus* --- Squinting.

108. *Contractura* -- } A rigid contraction of a
joint.

SPECIES.

1. *ab inflammatione*.
2. *spasmo*.
3. *ob antagonistas paralyticos*.
4. *ab acrimonia irritante*.
5. *articularis*.

CLASS IV. LOCALES.

ORDER IV. APOCENOSES.

GENERA.

109. *Profusio* ---- Loss of blood.
110. *Ephidrosis* --- { A violent and morbid
 sweating.
 Generally symptomatic.
111. *Epiphora* ---- A flux of tears.
112. *Ptyalismus* -- A salivation.
113. *Enuresis* ---- { Involuntary discharge of
 urine.

SPECIES.

1. *atonica*.
2. *ab irritatione vel compressione vesicæ*.
114. *Gonorrhæa* -- { A preternatural flux from
 the urethra in men.

SPECIES.

1. *pura*, not arising from impure connection, and without disuria.
2. *impura*, arising from the action of the venereal virus on the urethra, producing first an itching at its orifice; afterward a discharge like pus; ardor

urinæ; often phymosis; paraphymosis; and swelled testicles.

3. *laxorum*.

4. *dormientium*.

CLASS IV. LOCALES.

ORDER V. EPISCHESES.

GENERA.

115. *Obstipatio* --- Costiveness.

SPECIES.

1. *debilium*.

2. *rigidorum*.

3. *obstructorum*.

116. *Ischuria* ---- Suppression of urine.

SPECIES.

1. *renalis*.

2. *ureterica*.

3. *vesicalis*.

4. *urethralis*.

117. *Dysuria* ---- } Difficulty, and pain, in
discharging water.

SPECIES.

1. *ardens*.

2. *spasmodica*.

3. *compressionis*.

4. *phlogistica*5. *calculosa*.6. *mucosa*.

GENERA.

118. *Dyspermatis-*
mus ----- { Seminis in actu venereo
tarda, impedita, et ad
generationem insufficiens
emissio.
119. *Amenorrhœa* - { Menses wholly or partially
obstructed without pregnancy.

CLASS IV. LOCALES.

ORDER VI. TUMORES.

120. *Aneurisma* - - { A soft tumour, with pulsa-
tion, on arteries.
121. *Varix* ----- { A soft tumour, without
pulse, on veins.
122. *Ecchymoma* - { A black and blue swelling,
either from a bruise, or
from a morbid extravasa-
tion of blood.
123. *Schirrus* ----- { A hard tumour of a glan-
dular part, indolent, and
not readily suppurating.

GENERA.

124. *Cancer* ----- { A hard tumour of a glandular part, painful and obstinate, which terminates in the foulest ulcer.
125. *Bubo* ----- { A suppurating tumour of conglobate glands.
126. *Sarcoma* ----- { A soft excrescence, not painful.
127. *Verruca* ----- A wart.
128. *Clavus* ----- Corns.
129. *Lupia* ----- { A cyst under the skin, moveable, soft, indolent.
130. *Ganglion* ----- { A hard tumour, moveable, on the tendon.
131. *Hydatis* ----- { A cuticular cyst full of an aqueous fluid.
132. *Hydarthus* -- { A white swelling on the joints.
133. *Exostosis* ----- A hard tumour on the bone.

CLASS IV. LOCALES.

ORDER VII. ECTOPIÆ.

GENERA.

134. *Hernia* ----- { The displacing of a soft part, covered by the common teguments. A rupture.
135. *Prolapsus* --- { The protrusion of a soft part, uncovered.
136. *Luxatio* ----- { The disjoining of a bone.

CLASS IV. LOCALES.

ORDER VIII. DIALYSES.

137. *Vulnus* ----- A wound.
138. *Ulcus* ----- { An ulcer discharging pus or ichor.
139. *Herpes* ----- { Tetters, or an assemblage of little creeping ulcers, itching much, and not inclined to heal, but terminating in surfuraceous scales.

GENERA.

140. *Tinea* ----- } *A scald head.* Small ulcers
at the root of the hairs,
which produce a friable
white crust.
141. *Psora* ----- } *The itch.* Small pustules
with watery heads, ap-
pearing first on the wrists,
and between the fingers.
Contagious.
142. *Fractura* ----- The fracture of bones.
143. *Caries* ----- The exulceration of bones.




GENERAL INDEX;

WITH
AN EXPLANATION OF THE TERMS.

A.	Cl.	Or.	Gen.
ADYNANLÆ, <i>A defect of Vital Powers;</i> } from α, privitive; and δυναμις, } Power }	II	II	
AGEUSTIA, <i>Want of taste</i>	IV	I	93
AGUE. <i>V. FEBRIS INTERMITTENS.</i>			
AMAURÖSIS, <i>Gutta Serena; Αμαυρωσις,</i> } Obscurity }	IV	I	87
..... COMPRESSIONIS, <i>from</i> <i>a pressure of the Optic Nerve.</i>			
..... ATONICA, <i>from Debility.</i>			
..... SPASMODICA, <i>from</i> <i>Spasm.</i>			
..... VENENATA, <i>from Poison.</i>			
AMENORRHEA, <i>Suppression of the</i> } <i>Menses; from α priv. μηνς, the</i> } <i>Menses; and Ρευ, to flow</i> . . . }	IV	V	119
AMENTIA, <i>Idiotism</i>	II	IV	57
ANÆSTHESIA, <i>Ανασθησια, Want of</i> } <i>Sensation</i> }	IV	I	94
ANAPHRODISIA, <i>Impotence; from α,</i> } <i>priv. and αποδισια, the Feast of</i> } <i>Venus</i> }	IV	II	102

	Cl.	Or.	Gen.
ANASARCA, Dropsy of the whole Body; } from <i>Ανα</i> , along; and <i>Σαξ</i> , the } Flesh }	III	II	68
..... SEROSA, from a retention, or from an over increase, of Serum.			
..... EXANTHEMATICA, from <i>Exanthemata</i> . V. EXANTHE- MATA.			
..... A COMPRESSIO, from an Interruption of the Circulation.			
..... DEBILIUM, from Debility.			
ANEURISMA, Tumour of an Artery; from } <i>Ανευρυσμος</i> , Dilatation . . . }	IV	VI	120
ANOREXIA, Want of Appetite; from <i>α</i> , } neg. and <i>Ορεξις</i> , Appetite . . }	IV	II	101
ANOSMIA, <i>Ανοσμος</i> , Without Smell . . }	IV	I	92
..... ORGANICA, from a disease of the Schneiderian Membrane.			
..... ATONICA, no manifest cause appearing.			
APHONIA, Loss of Voice; from <i>α</i> , priv. } and <i>Φωνη</i> , the Voice . . . }	IV	III	103
APHRODISIACUS, Venereal Excess; from <i>Αφροδισιακος</i> , Venereus.			
APOCENOSES, Excessive Discharges . .			
APOPLEXIA, Apoplexy; from <i>Απο</i> and } <i>Πλησσω</i> , to strike . . . }	II	I	36
..... SANGUINEA, Sanguine- ous, from excess of Blood.			
..... SEROSA, Serous, in per- sons of a cold temperament.			
..... HYDROCEPHALICA, <i>Hydrocephalic</i> ; from <i>Τερω</i> , Water; and <i>κεφαλη</i> , the Head.			
..... ATRABILARIA, from the suffusion of black Bile over the System.			
..... TRAUMATICA, from <i>Τραυμα</i> , violence; from <i>Τραυμα</i> , <i>αλος</i> , a wound.			



	Cl.	Or.	Gen.
APOPLEXIA VENENATA , <i>from poison.</i>			
..... SUFFOCATA , <i>from Suffocating Exhalations.</i>			
..... MENTALIS , <i>from passions of the Mind.</i>			
..... CATALEPTICA , <i>The Catalepsy; from Καταληψις, a Seizure. The patient on a sudden becomes stiff, and observes the same posture during the fit.</i>			
APPETITE , <i>Depraved. V. DYSCOREXIA.</i>			
..... <i>Want of. V. ANOREXIA.</i>			
ARTHRITICUS , <i>Arthritic; from Ἀρθριτις, A disease in the Joints. V. PODAGRA.</i>			
ARTHRODYNIA , <i>Chronic Rheumatism; from Ἀρθρον, a Joint; and Ὀδυνή, Pain. V. RHEUMATISMUS.</i>			
ARTHROPUOSIS , <i>Inflammation occasioning a Collection of Matter; from Ἀρθρον, a Joint; and Πύωσις, Suppuration.</i>	I	II	21
ASCITES , <i>Dropsy of the Abdomen; from Ἀσцитις, a Sack.</i>	III	II	72
..... ABDOMINALIS , <i>The Abdominal, an equal swelling of the whole Abdomen.</i>			
..... SACCATUS , <i>The Encysted, the fluctuation is here less evident, and the Swelling of the Abdomen at the first partial.</i>			
ASTHMA , <i>Frequent attacks of short breathing; from Ἀσμαι, to breathe.</i>	II	III	47
..... SPONTANEUM , <i>without any manifest cause.</i>			
..... PLETHORICUM , <i>from Πλεθώρα.</i>			

	Cl.	Or.	Gen.
ASTHMA EXANTHEMATICUM, <i>Exanthematic; from the repulsion of some humour. V. EXANTHE- MATA.</i>			
ATROPHIA, <i>A Slow Decay, or Atrophy;</i> from α, priv. and τροφῆ, Nutri- tion	III	I	63
..... INANITORUM, <i>from too great Evacuations.</i>			
..... FAMELICORUM, <i>from famine.</i>			
..... CACOHYMICA, <i>from cor- rupted Nourishment.</i>			
..... DEBILIUM, <i>from an imper- fection in the digestive Organ.</i>			
B.			
BUBO* ; from βύβω, a Swelling in the Groin	IV	VI	125
BULIMIA, <i>Canine Appetite;</i> from βύς, an Ox; and λιμός, Hunger	IV	II	95
BLEEDING at the Nose. V. EPIS- TAXIS.			
BLOOD, Extravasation of. V. ECCHY- MOMA.			
BLOODY FLUX. V. PROFUSIO.			
BREATHING, Difficult. V. ASTHMA, or DYSPNŒA.			
C.			
CACHEXLÆ, <i>A bad habit of body;</i> from κακός, bad; and ἔξις, a habit	III		
CALIGO, <i>The Cataract</i>	IV	I	86
CANCER, <i>Cancer, a Crab</i>	IV	VI	124
CANINE APPETITE. V. BULIMIA.			
CARDITIS, <i>Inflammation of the Heart;</i> from καρδιά, the Heart	I	II	9

* The vowels are placed first in this Index; then follow the con-
sonants.

	Cl.	Or.	Gen.
CARIES, <i>Rottenness in the Bones</i>	IV	VIII	143
CATARACT. <i>V. CALIGO.</i>			
CATARRHUS, <i>Catarrh; from Καταρρεω,</i> a Defluxion	I	V	34
..... A FRIGORA, <i>from cold.</i>			
..... A CONTAGIO, <i>from</i> <i>contagion. The Influenza.</i>			
CATARRH. <i>V. CATARRHUS.</i>			
CÆLIAC PASSION. <i>V. DIARRHŒA.</i>			
COLICA, <i>The Colic; from Κολος, the</i> <i>Colon</i>	II	III	51
..... SPASMODICA, <i>Spasmodic,</i> <i>arising from Spasms of the Ab-</i> <i>dominal Muscles.</i>			
..... PICTONUM, <i>The Painters,</i> <i>or Devonshire Colic. It arises</i> <i>from the poison of lead.</i>			
..... STERCOREA, <i>in Persons of a</i> <i>costive Habit.</i>			
CONSUMPTION. <i>V. PHTHISIS.</i>			
CONTRACTURA, <i>Contraction of the</i> <i>Limbs</i>	I	III	108
..... AB INFLAMMATIO-			
NE, <i>from inflammation.</i>			
..... SPASMO, <i>from spasm.</i>			
..... OB ANTAGONISTAS			
PARALITICOS, <i>from</i> <i>the Antagonist Muscles losing their</i> <i>action.</i>			
..... OB ACRIMONIA IR-			
RITANTE, <i>from some</i> <i>irritating cause.</i>			
..... ARTICULARIS, <i>from</i> <i>stiffness in the Joints.</i>			
CONVULSIO, <i>Convulsions</i>	II	III	42
CORNS. <i>V. CLAVUS.</i>			
CORPULENCY. <i>V. POLYSARCIA.</i>			
COSTIVENESS. <i>V. OBSTIPATIO.</i>			
CHICKEN POX. <i>V. VARICELLA.</i>			

	Cl.	Or.	Gen.
CHILBLAIN. <i>V. PHLOGOSIS, ERY- THEMA.</i>			
CHLORŌSIS, <i>The Green Sickness; from } χλωρός, green, pale }</i>	III	III	85
CHOLĒRA; <i>from χολή, the Bile }</i>	II	III	52
CHOLERA, <i>The Cholera Morbus; from χολή, the Bile. }</i>			
CHORĒA, <i>St. Vitus's Dance; from χο- ρεία, Dancing }</i>	II	III	43
CLAP. <i>V. GONORRŒA.</i>			
CLAVUS, <i>A Corn }</i>	IV	VI	128
CROUP. <i>V. CYNANCHE TRACHEALIS.</i>			
CYNANCHE; <i>from κύων, a Dog; and } ἀγχω, to suffocate }</i>	I	II	7
..... MALIGNA. <i>The putrid sore Throat. }</i>			
..... PAROTIDÆA. <i>The Mumps. }</i>			
..... TRACHEALIS. <i>The Croup. }</i>			
..... TONSILLARIS. <i>Inflam- matory Quinsy. }</i>			
CYSTITIS, <i>Inflammation of the Bladder; } from κύστις, the Bladder }</i>	I	II	16
D.			
DEAFNESS. <i>V. DYSCŒA.</i>			
DEFECT in Vision. <i>V. DYSOPIA.</i>			
DIABĒTES, <i>Immoderate flow of Urine; } from δια, through; and βαίνω, to pass }</i>	II	III	54
DIALŶSES, <i>The Destruction of Parts; } from διαλυω, to dissolve }</i>	IV	VIII	
DIARRHŒA, <i>A constant Looseness; from } διαρρεω, to flow through }</i>	II	III	53
..... CRAPULOSA, <i>The Fe- culent Diarrhœa; from Crapulo- sus, one who overloads his sto- mach. }</i>			

	Cl.	Or.	Gen.
DIARRHŒA BILIOSA, <i>The Bilious;</i> from an overflow of Bile.			
..... MUCOSA, <i>The Mucous;</i> a quantity of slime being voided.			
..... HEPATIRRHŒA, <i>The</i> <i>Hepatic;</i> a flux of serous matter somewhat resembling flesh is voided, the liver being primarily affected; from <i>ἥπαρ</i> , the liver; and <i>ρῆω</i> , to flow.			
..... LIENTERIA, <i>The Lien-</i> <i>tery;</i> the food passes unchanged.			
..... CŒLIACA. <i>The Celiac</i> <i>Passion.</i>			
..... VERMINOSA, <i>arising</i> <i>from Worms.</i>			
DIGESTION, <i>Bad.</i> V. DYSPERSIA.			
DUMBNESS. V. MUTITAS.			
DYSÆSTHESIÆ; <i>Ἀναίσθησις</i> , Loss of Sensation }	IV	I	
DYSECOËA, <i>Deafness;</i> from <i>ἀϋς</i> , diffi- cult; and <i>ἄκου</i> , hearing . . . }	IV	I	90
DYSENTERIA, <i>Dysentery;</i> from <i>δυσεν-</i> <i>τερία</i> , Pain in the Bowels . . . }	I	V	35
DYSŌPIA, <i>Defect in Vision</i> }	IV	I	88
..... TENEBRARUM, <i>Requiring</i> <i>objects to be placed in a strong light.</i>			
..... LUMINIS, <i>Objects only dis-</i> <i>cernible in a weak light.</i>			
..... DISSITORUM, <i>In which</i> <i>distant objects are not perceived.</i>			
..... PROXIMORUM, <i>In which</i> <i>objects too near are not perceived.</i>			
..... LATERALIS, <i>In which ob-</i> <i>jects are not seen, unless placed in</i> <i>an oblique position.</i>			
DYSOREXIA, <i>A Depraved Appetite;</i> from <i>ἀϋς</i> , bad; and <i>ὀρεξις</i> , Ap- petite }	IV	II	

	Cl.	Or.	Gen.
DYSPERMATISMUS, <i>Difficult Emission of Semen</i> ; from Δυσ, difficult; and Επεσμεν, Seed	IV	V	118
DYSPEPSIA, <i>Bad Digestion</i> , from Δυσ, bad; and Πενω, to concoct	II	II	39
DYSŪRIA, <i>Difficulty in discharging Urine</i> ; from Δυσ, difficult; and Ουρον, Urine	IV	V	117
..... ARDENS, <i>A sense of heat, without any manifest disorder of the Bladder.</i>			
..... SPASMODICA, <i>from Spasm.</i>			
..... COMPRESSIONIS, <i>from a compression of the neighbouring parts.</i>			
..... PHLOGISTICA; <i>from violent Inflammation</i> ; from Φλογος, flamma.			
..... CALCULOSA, <i>from stone in the Bladder.</i>			
..... MUCOSA, <i>from an abundant secretion of Mucus.</i>			
DYSCINESIÆ, <i>Difficulty of Motion</i> ; from Δυσ, bad; and Κινω, to move	IV	III	
DYSPNŒA, <i>A constant Difficulty of Breathing</i> ; from Δυσ, difficult; and Πνω, to breathe	II	III	48
DROPSY of the Brain, <i>Hydrocephalus Internus, V. APOPLEXIA.</i>			
..... of the whole Body. V. ANASARCA.			
..... of the Abdomen. V. ASCITES.			
..... of the Womb or Ovaria. V. HYDROMETRA.			
..... of the Scrotum. V. HYDROCELE.			
E.			
ECTOPIÆ, <i>Parts Displaced</i> ; from Εκ, out of its Situation	IV	VII	

	Cl.	Or.	Gen.
ECCHYMŌMA; <i>Εκχυμωμα</i> , an Extra- vasation of Blood }	IV	VI	122
ELEPHANTIASIS, <i>Ελεφανς</i> , an Elephant	III	III	80
EMPHYSEMA. <i>V. PNEUMATOSIS.</i>			
ENURĒSIS, <i>An involuntary flow of Urine;</i> from <i>Ενυρεω</i> , to make water . . . }	IV	IV	113
..... ATONICA, <i>the Spinctor of the</i> <i>Bladder having lost its tone from</i> <i>some previous disease.</i>			
..... ab Irritatione, } <i>from an irritation</i> vel Compres- } <i>or compression of</i> sione vesicæ, } <i>the bladder.</i>			
ENLARGEMENT of the Abdomen. <i>V.</i> <i>PHYSCONIA,</i>			
ENTERITIS, <i>Inflammation of the Intes-</i> <i>tines; from Εντερον, the Intestine</i> }	I	II	12
EPIPHŌRA, <i>An involuntary flow of tears;</i> from <i>Επιφορευ</i> , a Flood . . . }	IV	IV	111
EPILEPSIA, <i>Epilepsy; from Επιληψις, a</i> <i>Swoon</i> }	II	III	45
..... TRAUMATICA, <i>from an</i> <i>injury of the Head.</i>			
..... A DOLORE, <i>from Pain.</i>			
..... VERMINOSA, <i>from Worms.</i>			
..... EXANTHEMATICA, <i>from</i> <i>an Eruption drove in.</i>			
..... A CRUDITATE VENTRI- CULI, <i>from crudities of the Sto-</i> <i>mach.</i>			
..... AB INANITIONE, <i>from</i> <i>Debility.</i>			
..... UTERINA, <i>from Hysteric</i> <i>Affections. V. HYSTERIA.</i>			
EPIDROSIS, <i>Excessive Sweating; Επυ-</i> <i>δρις, abundant in Water</i> . . . }	IV	IV	110
EPISCHĒSES. <i>Επισχεσις, Retention</i> . .	IV	V	
EPISTAXIS, <i>Bleeding at the Nose</i> . . .	I	IV	29
ERYSIPELAS, <i>St. Anthony's Fire</i> . . .	I	III	22

	Cl.	Or.	Gen.
ERYSIPELAS VESICULOSUM , with large Blisters			
..... PHLYCTÆNODES , with Phlyctenæ, or small Blisters; from Φλυκταίνωδες, Pustulæ Similis.			
EXANTHEMATA , Eruptions; from Εξ- ανθημα, a Pustule	I	III	
EXOSTÖSIS , Tumour on the Bones; from Εξ and Οστέον, a Bone	IV	VI	133
F.			
FAINTING . V. SYNCOPE .			
FEBRIS INTERMITTENS , An Inter- mittent Fever, or Ague	I	I	I
..... CONTINUA , a continued Fever	I	I	2
..... HECTICA , an hectic Fever	I	I	3
FUROR UTERINUS . V. NYMPHO- MANIA .			
FLUXES . V. PROFLUVIA .			
FRACTURA , A Fracture	IV	VIII	142
FRAMBESIA , The Yaws; from Fram- boise, Fr. a Raspberry	III	III	82
G.			
GANGLION , A Tumour on a Tendon	IV	VI	130
GASTRITIS , An Inflammation of the Sto- mach; from Γαστήρ, the Stomach	I	II	II
..... PHLEGMONODEA , with Phlegmon; from Φλεγω, to burn.			
..... ERYSIPELATOSA , from Ερυσιπιλας, a red Tumour. An Erysepelalous redness is observed about the fauces.			
GOUT . V. PODAGRA .			
GONORRHŒA ; from Γονορροια, a Flux of Seed	IV	IV	114
..... PURA , not arising from im- pure connection.			

	Cl.	Or.	Gen.
GONORRHOEA IMPURA, arising from Venereal Virus.			
..... LAXORUM, the person being awake.			
..... DORMIENTIUM, from an impure imagination when asleep.			
GUTTA SERENA. V. AMAUROSIS.			
GREEN SICKNESS. V. CHLOROSIS.			
H.			
HÆMOPTYSIS, Spitting of Blood; from Αἷμα, blood; and Πρω, to spit	I	IV	30
..... PLETHORICA, from ful- ness of the Vessels.			
..... VIOLENTA, from some external violence.			
..... PHTHISICA, Consump- tive; from φθω, to waste.			
..... CALCULOSA, from cal- careous matter in the Lungs.			
..... VICARIA, from the sup- pression of some customary evacua- tion. The termination of an Hæ- moptysis is in Phthisis.			
HÆMORRHAGIÆ, Hæmorrhages; from Αἱμορραγία, an Eruption of Blood	I	IV	
HÆMORRHOIS, The Piles; from Αἱμορ- ρῶς, a Flux of Blood	I	IV	32
HEMIPLEGIA, Palsy of one Side. V. PARALYSIS.			
HECTIC FEVER. V. FEBRIS HEC- TICA.			
HEPATITIS, Inflammation of the Liver	I	II	13
HERNIA, A Rupture	IV	VII	134
HERPES, Tetters; from Ερπω, to creep	IV	VIII	139
HOOPING COUGH. V. PERTUSSIS.			
HYDARTHUS, A White Swelling; from Υδωρ, Water; and Αρθρον, a Joint	IV	VI	132

	Cl.	Or.	Geh.
HYDÄTIS, <i>An Hydatid; from ὕδωρ, a</i> Bladder	IV	VI	131
HYDROCÈLE, <i>Dropsy of the Scrotum;</i> from ὕδωρ, Water; and Κηλη, a Swelling	III	II	74
HYDROCEPHALUS EXTERNUS, <i>Ex-</i> <i>ternal Swelling of the Head; from</i> ὕδωρ, Water; and Κεφαλη, the Head	III	II	69
HYDROCEPHÄLUS INTERNUS, <i>Dropsy of the Brain; from ὕδωρ,</i> Water; and Κεφαλη, the Head. V. APOPLEXIA.			
HYDROMÈTRA, <i>Dropsy of the Womb and</i> <i>its Appendages; from ὕδωρ, Wa-</i> ter; and Μητρα, the Womb	III	II	73
HYDROPHOBIA, <i>Canine Madness; from</i> ὕδωρ, Water; and Φόβω, to dread	II	III	56
HYDRORACHITIS, <i>The Spina Bisida;</i> from ὕδωρ, Water; and Ραχις, the Back-bone	III	II	70
HYDROTHÖRAX, <i>Dropsy of the Chest;</i> from ὕδωρ, Water; and Θώραξ, the Breast	III	II	71
HYPOCHONDRIASIS, <i>Hypochondriac</i> <i>Affections; from Τροχονδριασμός,</i> one who is hipped	II	II	40
HYSTERIA, <i>Hysterics; from ὕστερον, the</i> Womb	II	III	55
..... CHLOROTICA, <i>from a re-</i> <i>tention of the Menses. V. CHLO-</i> ROSIS.			
..... A MENORRHAGIA, <i>from an</i> <i>immoderate flow of the Menses.</i> V. MENORRHAGIA.			
..... A LEUCORRHŒA, <i>from the</i> <i>Fluor Albus; from λευκός, white;</i> and ρεω, to flow. V. MENOR- RHAGIA.			

	Cl.	Or.	Gen.
HYSTERIA LIBIDINOSA, from Sexual Desires }	III	III	84
HYSTERITIS, Inflammation of the Uterus	I	II	17

I.

ICTERUS, The Jaundice			
..... CALCULOSUS, from Gall Stones.			
..... SPASMODICUS, from Spasm.			
..... MUCOSUS, from Mucus obstructing the Hepatic Duct.			
..... HEPATICUS, from an induration of the Liver.			
..... GRAVIDARUM, from pregnancy, and disappearing after delivery.			
..... INFANTUM, of Infants.			
IDIOTISM. V. AMENTIA.			
IMPETIGINES, Diseases which deform the Surface }	III	III	
INFLAMMATION of the Eye. V.			
OPHTHALMIA.			
..... Intestines. V.			
ENTERITIS.			
..... Uterus. V.			
HYSTERITIS.			
..... Bladder. V.			
CYSTITIS.			
..... Brain. V.			
PHRENITIS.			
..... Heart. V.			
CARDITIS.			
..... Kidney. V.			
NEPHRITIS.			
..... Liver. V.			
HEPATITIS.			
..... Lungs. V.			
PERIPNEUMONIA.			

	Cl.	Or.	Gen.
INFLAMMATION of the Peritonæum. <i>V.</i>			
PERITONITIS.			
..... Pleura. <i>V.</i>			
PLEURITIS.			
..... Spleen. <i>V.</i>			
SPLENITIS.			
..... Stomach. <i>V.</i>			
GASTRITIS.			
INFLAMMATORY QUINSY. <i>V.</i> CY-			
NANCHE TONSILLARIS.			
INFLATION of the Uterus. <i>V.</i> PHYSO-			
METRA.			
..... Abdomen. <i>V.</i> TYM-			
PANITES.			
INSANIA, <i>Insanity, or a deranged Imagination</i> } II IV 59			
INTERMITTENS, <i>An Intermittent Fever,</i> } I I I			
or <i>Ague</i>			
..... QUOTIDIANA,			
<i>Quotidian.</i> The paroxysms return in the morning, at an interval of about twenty-four hours.			
..... TERTIANA, <i>Tertian.</i> The paroxysms commonly come on at mid-day, at an interval of about forty-eight hours.			
..... QUARTANA,			
<i>Quartan.</i> The paroxysms come on in the afternoon, with an interval of about seventy-two hours.			
INTUMESCENTIA, <i>Swellings</i> III II			
ISCHURIA, from <i>ἰσχυρία</i> , a Suppression of Urine IV V 116			
..... RENALIS, <i>Coming after a disease of the Kidney, with a troublesome sense of weight in that part.</i>			

	Cl.	Or.	Gen.
ISCHURIA URETERICA, <i>After a disease of the Kidneys, a sense of pain or uneasiness in some part of the Urethra.</i>			
..... VESICALIS, <i>A frequent desire to make water, with a swelling of the Hypogastrium; pain at the neck of the Bladder.</i>			
..... URETHRALIS, <i>A frequent desire to make water, with a swelling of the Hypogastrium, and pain in some part of the Urethra.</i>			
JAUNDICE. <i>V. ICTERUS.</i>			
K.			
KING'S EVIL. <i>V. SCROFULA.</i>			
L.			
LEPRA, <i>Leprosy</i>	III	III	81
LIENTERY. <i>V. DIARRHŒA.</i>			
LOCALES, <i>Local Affections.</i>			
LOCKED JAW, or TRISMUS. <i>V. TETANUS.</i>			
LONGINGS OF WOMEN. <i>V. PICA.</i>			
LUES VENEREA. <i>V. SYPHILIS and GONORRŒA.</i>			
LUMBĀGO. <i>V. RHEUMATISMUS.</i>			
LUMBER ABSCESS. <i>V. ARTHROPO- OSIS.</i>			
LUPIA, <i>A soft Swelling under the Skin</i>	IV	VI	129
LUXATIO, <i>A Luxation</i>	IV	VII	136
M.			
MADNESS, MELANCHOLY. <i>V. MELANCHOLIA.</i>			
..... HAPPY. <i>V. INSANIA.</i>			
..... FURIOUS. <i>V. MANIA.</i>			

	Cl.	Or.	Gen.
MANIA, <i>Raving, or Furious Madness</i> . . .	II	IV	60
MARCÔRES, <i>Wasting</i>	III	I	
MEASLES. <i>V. RUBEOLA.</i>			
MELANCHOLIA, <i>Melancholy Madness</i> . .	II	IV	58
MENORRHAGIA, <i>Immoderate flow of</i> <i>the Menses; from Mην, a Month;</i> <i>and Ραγας, a Rupture</i>	I	IV	33
..... RUBRA, <i>Proper; from</i> <i>women neither with child or in</i> <i>child-birth</i>			
..... ALBA, <i>Serous; the</i> <i>Fluor Albus, or Whites.</i>			
..... VITIURUM, <i>From</i> <i>some local disease.</i>			
..... ABORTUS, <i>Abortive;</i> <i>from women with child.</i>			
..... LOCHIALIS, <i>From</i> <i>women after delivery.</i>			
MENSES, <i>Immoderate flow of. V. ME-</i> <i>NORRHAGIA.</i>			
..... Suppression of. <i>V. AMENOR-</i> <i>RHEA.</i>			
MILIARIA, <i>Miliary Fever</i>	I	III	27
MOTION IMPEDED. <i>V. DYSCINESIA.</i>			
MUMPS. <i>V. CYNANCHE PAROTIDCEA.</i>			
MUTITAS, <i>Dumbness</i>	IV	III	104
N.			
NEPHRITICUS, <i>Nephritic; from Νεφ-</i> <i>ρις, a disease of the Kidney.</i>			
NEPHRITIS, <i>Inflammation of the Kidney;</i> <i>from Νεφρις, the Kidney</i>	I	II	15
NERVOUS FEVER. <i>V. TYPHUS MI-</i> <i>TIOR.</i>			
NEURÔSES, <i>Nervous Diseases; from Νευ-</i> <i>ρον, a Nerve</i>	II		
NIGHT-MARE. <i>V. ONEIRODYNIA</i> <i>GRAVANS.</i>			

	Cl.	Or.	Gen.
NOSTALGIA, <i>Vehement desire of revisiting one's Country; from Νοστω, to return; and Αλγος, pain</i> }	IV	II	100
NYMPHOMANIA, <i>Furor Uterinus; from Νυμφια, Nympha; and Μανια, Madness</i> }	IV	II	99
O.			
OBSTIPATIO, <i>Costiveness</i>	IV	V	115
..... DEBILIUM, <i>In weak and commonly dyspeptic persons.</i>			
..... RIGIDORUM, <i>In persons of rigid fibres and a melancholy temperament.</i>			
..... OBSTRUCTORUM, <i>From obstructions. V. COLICA.</i>			
ODONTALGIA, <i>The Tooth-ach; from Οδως, a Tooth; and Αλγος, Pain</i> }	I	II	19
ONEIRODYNIA, <i>Disturbed Sleep; from Ονειρον, a Dream; and οδυνη, Anxiety</i> }	II	IV	61
..... GRAVANS, <i>The Night-Mare.</i>			
OPHTHALMIA, <i>Inflammation of the Eye; from Οφθαλμος, the Eye</i> }	I	II	5
P.			
PALPITATIO, <i>Palpitation of the Heart</i>	II	III	4
PALSY OF ONE SIDE, <i>Hemiplegia. V. PARALYSIS</i>			
PARACŪSIS, <i>Singing in the Ears; from Παρα, Wrong; and ακουω, to hear</i> }	IV	I	91
..... IMPERFECTA, <i>When existing sounds are not heard as usual.</i>			
..... IMAGINARIA, <i>When imaginary sounds are heard.</i>			
PARALYSIS, <i>Palsy; from Παραλυω, to loose</i> }	II	I	37

	Cl.	Or.	Gen.
PARALYSIS PARTIALIS, <i>Partial; Palsy of some particular muscles.</i>			
..... HEMIPLEGICA, <i>Paralysis of one side; from ἡμιπληγῆς, dimidia parte percussus.</i>			
..... PARAPLEGICA, <i>Palsy of one half of the body; from Παρεπληγία.</i>			
..... VENENATA, <i>From the sedative effect of poisons. V. COLICA PICTORUM.</i>			
PARAPLEGIA, <i>Palsy of half of the Body taken transversely. V. PARALYSIS.</i>			
PARAPHONIA, <i>Alteration of the voice; from Παρε, Wrong; and Φωνή, Sound</i>	IV	III	105
PERIPNEUMONIA, <i>Peripneumony, or Inflammation of the Lungs. V. PNEUMONIA.</i>			
PERITONITIS, <i>Inflammation of the Peritonæum</i>	I	II	101
PERTUSSIS, <i>The Hooping Cough</i>			
PESTIS, <i>The Plague</i>	I	III	49
PICA, <i>Particular Longings</i>	IV	II	96
PILES. V. HÆMORRHOÏS.			
PODAGRA, <i>The Gout; from Πους, the Foot; and ἄγος, taken</i>	I	II	20
..... REGULARIS, <i>The Regular.</i>			
..... ATONICA, <i>Atonic; from Ἀτονός, a neg. and Τένω, to stretch.</i>			
..... RETROGRADA, <i>Retrocedent.</i>			
..... ABERRANS, <i>Misplaced, or wandering.</i>			
POLYDIPSIA, <i>Excessive Thirst; from Πολύς, much; and Δίψη, Thirst</i>	IV	IV	97
POLYPUS. V. SARCOMA,			

	Cl.	Or.	Gen.
POLYSARCHIA, <i>Corpulency</i> ; from $\Pi\sigma\lambda\upsilon\varsigma$, much; and $\Sigma\alpha\varsigma\kappa\iota\varsigma$, Flesh . . . }	III	II	64
PUTRID FEVER. <i>V. TYPHUS GRAVIORE.</i>			
PUTRID SORE THROAT. <i>V. CYNANCHE MALTONA.</i>			
PHLOGÖSIS, <i>Inflammation</i> ; from $\Phi\lambda\omicron\gamma\omicron\varsigma$, Flamma . . . }	I	II	4
..... PHLEGMONE, <i>with Phlegmon</i> ; from $\Phi\lambda\epsilon\gamma\mu\omicron\nu\nu$, Vivid Inflammation.			
..... ERYTHEMA; from Ερυθρμα , Redness.			
PHRENITIS, <i>Phreny, or Inflammation of the Brain</i> ; from $\Phi\epsilon\eta\nu$, the Mind . . . }	I	II	6
PHTHISIS, <i>Pulmonary Consumption</i> ; from $\Phi\theta\iota\omega$, to consume . . . }	I	IV	31
..... INCIPIENS, <i>Incipient</i> ; without any expectoration of Pus.			
..... HUMIDA, <i>Purulent</i> ; with an expectoration of Pus.			
..... SCROPHULOSA; <i>From Scrophula</i> , Tubercles in the Lungs.			
..... HÆMOPTOICA, <i>From Hæmoptysis.</i>			
..... EXANTHEMATICA, <i>From Exanthemata.</i>			
..... CHLOROTICA, <i>From Chlorosis.</i>			
..... SYPHILITICA, <i>From a Venereal Ulcer in the Lungs.</i>			
PHYSCONIA, <i>Enlargement of the Abdomen</i> ; from $\Phi\upsilon\sigma\kappa\omega\nu$, a big-bellied fellow . . . }	III	II	75
PHYSOMETRA, <i>Windy Swelling of the Uterus</i> ; from $\Phi\upsilon\sigma\kappa\omega$, to inflate; and Μετρα , the Womb . . . }	III	II	67
PLAGUE. <i>V. PESTIS.</i>			

	Cl.	Or.	Gen.
PLEURITIS, <i>Pleurisy, or Inflammation of the Pleura. V. PNEUMONIA.</i>			
PLICA POLONIA, <i>V. TRICHOMA.</i>			
PNEUMATOSIS, <i>Emphysema, or Windy Swellings</i>	III	II	65
..... SPONTANEA, <i>Without any manifest cause.</i>			
..... TRAUMATICA, <i>From a Wound.</i>			
..... VENENATA, <i>From Poisons.</i>			
..... HYSTERICA, <i>With Hysteria.</i>			
PNEUMONIA, <i>from Πνεύμων, the Lungs</i>	I	II	8
PROFLUVIA, <i>Fluxes</i>	I	V	
PROFUSIO, <i>The Bloody Flux</i>	IV	IV	109
PROLAPSUS, <i>A Protrusion</i>	IV	VII	135
PROTUSION, <i>or Falling down. V. PRO-</i>			
LAPSUS.			
PSEUDOBLEPSIS, <i>Imaginary Vision of objects; from Ψευδος, false; and</i>	IV	I	89
ὄψις, sight			
..... IMAGINARIA, <i>In which objects are perceived which are not present.</i>			
..... MUTANS, <i>In which objects that are present appear somehow changed.</i>			
PSSELLISMUS, <i>Defect of Speech; from</i>	IV	III	106
Ψέλλισμα, <i>Hesitation of Speech</i> }			
PSORA, <i>Ψώρα, the Itch</i>	IV	VIII	141
PTYALISMUS, <i>A Salivation</i>	IV	IV	112
PYREXIÆ, <i>Febrile Diseases; from πυ-</i>	I		
ρεΐα, <i>Fever</i>			
PYRÖSIS, <i>Heart-burn; from πυρῶσις, a</i>	II	III	59
Burning			
..... R.			
RACHÏTIS, <i>The Rickets, from Ραχίς, the</i>	III	II	76
Back-bone			

	Cl.	Or.	Gen.
RAPHANIA, from <i>Papayn</i> , the radish, or charlock; eating the Seeds of which will occasion this disease	III	III	44
RICKETS. <i>V.</i> RACHITIS.			
RUBEOLA, The Measles; from <i>Rubeo</i> , to become red	I	III	26
RUPTURE. <i>V.</i> HERNIA.			
RHEUMATISM, Chronic. <i>V.</i> ARTHRODYNIA.			
RHEUMATISMUS, The Rheumatism, from <i>ῥευματισμός</i> , a Defluxion	I	II	18
S.			
SALIVA, Flux of. <i>V.</i> PTYALISMUS.			
SARCOMA, An Excrescence, from <i>Σαρκώ</i> , Flesh	IV	VI	126
SATYRIASIS, Excessive desire after Venery	IV	II	98
SEED, Preternatural flow of. <i>V.</i> GONORRHOEA.			
SENSATION, Want of. <i>V.</i> ANAESTHESIA.			
SINGINGS IN THE EAR. <i>V.</i> PARACUSIS.			
SCALD HEAD. <i>V.</i> TINEA.			
SCARLATINA, The Scarlet Fever	I	III	28
..... SIMPLEX, The Mild.			
..... CYNANCHICA, With ulcerated sore throat, or Cynanche.			
SCIATICA. <i>V.</i> RHEUMATISMUS.			
SCORBUTUS, Scurvy	III	III	79
SCURVY. <i>V.</i> SCORBUTUS.			
SCHIRRHUS, Excess, a Chip of Marble	IV	VI	123
SCROPHULA, The King's Evil; Scrophula, a Pigeon	III	III	77
SMALL POX. <i>V.</i> VARIOLA.			
SMELL, Loss of. <i>V.</i> ANOSMIA.			
SPASMI, Spasmodic Diseases, from <i>Σπασμ</i> , to contract	II	III	

	Cl.	Or.	Gen.
SPEECH, Defect of. <i>V. PSYLLISMUS</i>			
SPITTING OF BLOOD. <i>V. HÆMOP-</i>			
YSIS.			
SPLENTIS, Inflammation of the Spleen.	I	II	14
SQUINTING. <i>V. STRABISMUS.</i>			
ST. ANTHONY'S FIRE. <i>V. ERYSI-</i>			
PELAS.			
ST. VITUS'S DANCE. <i>V. CHOREA</i>			
STRABISMUS, <i>Strabismus</i> , Squinting.	IV	III	107
SWEATING. <i>V. EPHYDRISIS.</i>			
SWELLING OF THE HEAD, External.			
<i>V. HYDROCEPHALUS EXTER-</i>			
NUS.			
SYNŌCHA, <i>Euroxos</i> , continued. <i>V. FE-</i>			
BRIS CONTINUA.			
SYNCOPE, Fainting, from <i>Ευνοχία</i> , to	II	II	38
strike down.			
..... CARDIACA, The Cardiac			
<i>Syncope</i> ; arising from some or-			
ganic affection of the heart, or			
neighbouring vessels, and re-			
turning without any manifest			
cause.			
..... OCCASIONALIS, The ex-			
citing cause being manifest.			
SYPHILIS, <i>Lues Venerea</i> .			
T.			
TABES, A Wasting of the Body.	II	II	162
..... PURULENTA; from an ul-			
cerous discharge.			
..... SCROPHULOSA; from a			
scrophulous habit.			
..... VENENATA; from Poison.			
TASTE, Want of. <i>V. AGEUSTIA.</i>			
TEARS, A Flux of. <i>V. EPIPHORA.</i>			
TETANUS, Spasm with Rigidity, from			
τῆσις, to stretch.			

	Cl.	Or.	Gen.
TETANUS OPISTHOTONOS , <i>Where the body is thrown back by spasmodic contractions of the Muscles; from Οπισθοτονος, bent back.</i>			
..... EMPROSTHOTONOS , <i>The body being bent forwards; from Εμπροσθεν, before; and τενω, to stretch.</i>			
..... TRISMUS , <i>The Locked Jaw; from Τρισμος, stridor.</i>			
TETTERS . <i>V. HERPES.</i>			
TINEA , <i>A Scald Head</i>	I	VIII	149
TOOTH-ACH . <i>V. ODONTALGIA.</i>			
TUMORES , <i>Tumours</i>	IV	VI	
TUSSIS EXANTHEMATICA . <i>A cough attendant on an eruption.</i>			
THIRST , <i>Excessive. V. POLYDIPSIA.</i>			
TRICHOMA , <i>An Entanglement of the Hair; from Τριξ, Τριχος, and Κομη, the Hair</i>	III	III	83
TYMPANITES , <i>Tympany, Τυμπανον, a Drum</i>	III	II	66
..... INTESTINALIS , <i>A lodgement of wind in the Intestines.</i>			
..... ABDOMINALIS , <i>Wind in the Abdomen.</i>			
TYPHUS , <i>Τυφος, Stupor. V. FERRIS CONTINUA.</i>			
..... PETECHIALIS , <i>Typhus with Petechiæ.</i>			
..... MITIOR , <i>The milder Typhus, or Slow Fever.</i>			
..... GRAVIOR , <i>The oppressive, or Putrid Fever.</i>			
..... ICTERODES , <i>The Yellow Fever; from Ικτεριδης, Felle effusus.</i>			

	Cl.	Or.	Gen.
V.			
VARIOLA, The Small Pox	I	III	24
..... DISCRETA, The Distinct.			
..... CONFLUENS, Confluent.			
VARICELLA, The Chicken Pox	I	II	25
VARIX, The Tumour of a Vein	IV	VI	125
VERRUCA, A Wart	IV	VI	127

W.**WHITE SWELLING. V. ARTHRO-****PUOSIS.**

PART II.

COMPENDIUM

OF

THE **THERAPEUTICS.**

WITH

FORMULÆ.

PART II
CONTAINING
THE
FORMULAE
OF THE
THERAPEUTICS

COMPENDIUM
OF

THERAPEUTICS

WITH

FORMULAE

CONTENTS.

EMETICA	I.
CATHARTICA	II.
DIAPHORETICA	III.
DIURETICA	IV.
EPISPASTICA	V.
EXPECTORANTIA	VI.
ERRHINA	VII.
SIALAGOGA	VIII.
EMMENAGOGA	IX.
ANTHELMINTICA	X.
LITHONTHRIPTICA	XI.
ANTACIDA	XII.
ATTENUANTIA	XIII.
ANTISEPTICA	XIV.
ASTRINGENTIA	XV.
CORROSIVA	XVI.
DEMULCENTIA	XVII.
STIMULANTIA	XVIII.
ANTISPASMODICA	XIX.

CONTENTS

I.	EMETICA
II.	CATHARTICA
III.	DIAPHORETICA
IV.	DIURETICA
V.	ERECTASTICA
VI.	EXPECTORANTIA
VII.	ERRHINA
VIII.	STYLAGOGA
IX.	EMMENAGOGA
X.	ANTHELMINTICA
XI.	LITHONTRIPTICA
XII.	ANTACIDA
XIII.	ATTENUANTIA
XIV.	ANTISEPTICA
XV.	ASTRINGENTIA
XVI.	CORROSIVA
XVII.	DERMULENTIA
XVIII.	STIMULANTIA
XIX.	ANTISPASMODICA

MEDICINES ARRANGED

IN THEIR

CLASSES AND ORDERS.

CLASS I.

EMETICA.

ORDERS.

I. Irritantia.

Antimon. tartarisatum.	gr. 1.—gr. 6.
Zincum vitriolatum	gr. 10.—scr. 2.
Hydrargyrus vitriolatus	gr. 4.—gr. 12.
Ipecacuanha	gr. 8.—scr. 1.
Asarum, rad.	scr. 1.—dr. 1.
Scilla exsiccata	gr. 4.—gr. 6.

II. Calefacientia.

Sinapi	dr. 1.—dr. 4.
Raphanus rusticanus	scr. 1.—dr. ½.
Chamæmelum	scr. 1.—dr. 1.

III. Narcotica.

Nicotiana	dr. ½.—un. 4.
Digitalis	gr. 2.—gr. 5.

CLASS II.
MEDICINES ARRANGED
CATHARTICA.

ORDERS.

I. *Stimulantia.*

Jalapium	gr. 10.—scr. 1½.
Senna	scr. 1.—dr. 2.
Aloë socotorina	gr. 10.—scr. 1½.
Golocynthis	gr. 4.—gr. 12.
Calomelas	gr. 4.—gr. 12.
Scammonium	gr. 5.—gr. 15.
Gambogia	gr. 4.—gr. 15.
Elaterium	gr. 1.—gr. 5.

II. *Calefacientia.*

Guaiacum gummi-resina .	gr. 10.—dr. 1.
-------------------------	----------------

III. *Refrigerantia.*

Natron vitriolatum	dr. 4.—un. 1½.
Kali vitriolatum	dr. 4.—un. 1.
Flores sulphuris	scr. 1.—dr. 1.
Cassia fistularis	un. ½.—un. 1½.

IV. *Astringentia.*

Rhabbarbarum	gr. 15.—dr. 1.
--------------------	----------------

V. *Emollientia.*

Oleum ricini	dr. 4.—un. 2.
Manna	dr. 4.—un. 2.

ORDERS.

VI. *Narcotica.*

Nicotiana	dr. $\frac{1}{2}$.—un. 4. aq.
Hioscyamus	gr. 1.—gr. 3.
Digitalis	gr. 2.—gr. 5.

CLASS III.

DIAPHORETICA.

I. *Calefacientia.*

Serpentaria	gr. 10.—scr. 2.
Contrayerva	gr. 10.—scr. 2.
G. Guaiacum	gr. 10.—scr. 2.
Arnica, flos	dr. 1.
Liq. volat. Cornu Cervi ...	gt. 20.—gt. 60.
Oleum essen. lavendulæ ...	gt. 4.—gt. 10.

II. *Stimulantia.*

Antimonium tartarisatum .	gr. $\frac{1}{2}$. o. h.
Vinum antimonii	gt. 5.—gt. 60.
Calomelas	gr. 1.

III. *Antispasmodica.*

Opium	gr. $\frac{1}{2}$.—gr. 1.
Moschus	gr. 10.—scr. 1 $\frac{1}{2}$.
Camphora	gr. 4.—scr. 1.
Ipecacuanha	gr. 1.

ORDERS.

IV. *Diluentia.*

Aqua	<i>ad libitum.</i>
Serum lactis	<i>ad libitum.</i>

CLASS IV.

DIURETICA.

I. *Stimulantia.*

Colchicum. rad.	gr. $\frac{1}{2}$.—gr. 2.
Daucus Sylvestris	un. $\frac{1}{2}$. ad. aq. lb. $\frac{1}{2}$.
Genista. cac.	un. $\frac{1}{2}$. ad. aq. lb. $\frac{1}{2}$.
Juniper. cac. manip.	l. d. coch. 2.
Taraxacum suc.	un. 1.—un. 3.
Terebinthina	scr. 1.—dr. 1.
Scilla	gr. 2.—gr. 6.
Cantharides	gr. $\frac{1}{2}$.
Apium.	

II. *Refrigerantia.*

Acetum	un. $\frac{1}{2}$.—un. 1.
Acetosa	un. 4.—un. 6.
Petroselinum	dr. $\frac{1}{2}$.
Kali præparatum	gr. 12.—scr. 1.
Kali acetatum	gr. 20.—gr. 30.
Nitrum	gr. 10.—gr. 25.
Berberis.	

III. *Diluentia.*

Serum lactis	<i>ad libitum.</i>
--------------------	--------------------

CLASS V.

EPISPASTICA.

ORDERS.

I. *Rubefacientia*.

Sinapi.

Raphanus rusticus.

Cortex radice mezerei.

II. *Vesicantia*.

Cantharides.

CLASS VI.

EXPECTORANTIA.

I. *Stimulantia*.

Allium dr. 1.—dr. 2.

Ammoniacum gr. 15.—dr. $\frac{1}{2}$.

Enula scr. 1.—dr. 1.

Hyssopus manip. 1.—vel. 2.

Marrubium manip. $\frac{1}{2}$.

Scilla gr. 3.—gr. 6.

Antimonium scr. 1.—scr. 2.

Vesicatoria.

Nicotianæ fumus.

ORDERS.

II. *Emollientia.*

Glycyrrhiza	dr. 2.—un. 1.
Spermaceti	dr. $\frac{1}{2}$.—dr. 1.
Tussilago	ad libitum.
Vapores	ad libitum.

CLASS VII.

ERRHINA.

Stimulantia.

Beta, rad. suc.	
Betonica, folio	$\frac{1}{2}$ gr. 3.—gr. 5.
Euphorbium	gr. $\frac{1}{2}$.
Asarum	gr. 3.—gr. 4.
Helleborus	gr. 5.—gr. 10.
Nicotiana	ad libitum.

CLASS VIII.

SIALAGOGA.

I. *Topica.*

Angelica	dr. 1.
Nicotiana	ad libitum.
Piper	gr. 10.—scr. 1.

ORDERS.

Scillæ gr. 3.—gr. 6.
 Sal Prunellæ gr. 3.—scr. 1.

II. *Interna.*

Ung. hydr. mitius dr. 1.
 Ung. hydr. fortius dr. $\frac{1}{2}$.
 Pilulæ ex hydr. gr. 12.—gr. 20.

CLASS IX.

EMMENAGOGA.

I. *Stimulantia.*

Borax gr. 10.—scr. 1.
 Aloë soc. gr. 10.—scr. 1.
 Sabina gr. 5.—scr. 1.
 Rubia gr. 15.
 Cantharides gr. 1.
 Electricitas.
 Hydrargyrus.

II. *Tonica.*

Ferri rubigo gr. 5.—scr. 1.
 Limatura gr. 5.—scr. 1.
 Lavatio frigida.
 Corporis exercitio.
 Diæta lauta.

ORDERS.

III. *Antispasmodica.*

Asafoetida	scr. 1.—scr. 2.
Myrrha.....	gr. 10.—gr. 30.
Castoreum	gr. 10.—gr. 30.
Pediluvium.....	

CLASS X.

ANTHELMINTICA.

I. *Venenosa.*

Stannum.....	gr. 15.—gr. 60.
Hydrar. cum Sulphure	scr. 1.—dr. 1.
Spigelia	dr. 4.
Filix	dr. 2.—dr. 4.
Heleborus foetidus.....	gr. 1.—gr. 8.
Hydrargyrus.....	

II. *Irritantia.*

Stizolobium (<i>dolichos pruriens</i> , L. S. P.)	
Corallina	scr. 1.—scr. 3.

III. *Lubricantia.*

Oleum olivarum.....	dr. 4.—un. 1.
Oleum ricini	dr. 4.—un. 1.

IV. *Tonica.*

Sabina	gr. 5.—scr. 1.
Santonicum	dr. 1.

ORDERS.

Tanacetum.

Ferrum vitriolatum gr. 2.—gr. 8.

Limatura Ferri gr. 5.—scr. 1.

Aqua calcis.

V. *Cathartica*.

Sapo un. 1.

Jalappa scr. 1.—scr. 2.

Rheum gr. 10.—gr. 30.

Aloë soc. gr. 10.—gr. 20.

Scammonium gr. 4.—gr. 16.

Gambogia gr. 2.—gr. 6.

CLASS XI.

LITHONTHRIPTICA.

I. *Antacida*.Sapo dr. $\frac{1}{2}$.—dr. 2.

Aqua calcis un. 4.—un. 8.

Aqua kali puri gr. 10.—gr. 60.

Aqua mephitica alkalina.

II. *Adstringentia*.

Uva ursi scr. 2.

CLASS XII.

ANTACIDA.

ORDERS.

I. *Eccoprotica.*

Sapo gr. 5.—gr. 30.

Magnesia gr. 5.—gr. 40.

Alkalina.

II. *Restringentia.*

Creta. ppt. dr. 1.—scr. 2.

Testæ ostreorum, ppt. scr. 1.—scr. 3.

Aqua calcis un. 4.—un. 8.

CLASS XIII.

ATTENUANTIA.

I. *Diluentia.*

Serum lactis.

II. *Deobstruentia.*

Sapo.

Sales Neutri.

Hydrargyrus.

Alkalina.

Spongia usta scr. 1.—scr. 2.

CLASS XIV.

ANTISEPTICA.

ORDERS.

I. *Tonica.*

Cortex peruvianus.....	gr. 10.—dr. 2.
Absinthium	scr. 1.—dr. $\frac{1}{2}$.
Chamæmelum.....	scr. 1.—dr. $\frac{1}{4}$.

II. *Refrigerantia.*

Sales acidi.....
Sales neutri.....
Fructus & vegetabilia.....

III. *Stimulantia.*

Camphora	gr. 3.—gr. 24.
Asafoetida	gr. 15.—dr. $\frac{1}{2}$.
Vinum.....	
Alkohol.....	dr. $\frac{1}{2}$ —dr. 1.
Oleum terebinthinæ	gr. 10.—gt. 30.

III. *Tonica.*

Alcohol.

IV. *Tonica.*

Exerthum.

Tricho.

CLASS XV.

ASTRINGENTIA.

I. *Styptica.*

Alumen.....	gr. 1.—gr. 24.
Ferrum vitriolat.	gr. 1.—gr. 6.
Ferrum ammoniacale	gr. 3.—gr. 12.
Ferri rubigo.....	gr. 5.—gr. 24.
Ferri limatura.....	gr. 5.—scr. 1.
Zincum calcinatum.....	gr. 2.—gr. 10.
Zinc. vitriolatum	gr. 1.—gr. 5.
Arsenicum	gr. $\frac{1}{16}$
Cuprum.	

II. *Corrugantia.*

Rosa.

Tormentil scr. 2.—dr. 1.

Cortex peruvianus gr. 10.—dr. 2.

Simarouba gr. 10.—gr. 24.

Sanguis draconis gr. 5.—scr. 1.

Quercus.

Gallæ.

III. *Indurantia.*

Alcohol.

Acidum vitrioli. dilutum ... gt. 10.—gt. 20.

IV. *Tonica.*

Exercitium.

Frictio.

CLASS XVI.

CORROSIVA.

ORDERS.

I. *Erodentia.*

Cuprum vitriolatum.

Alumen ustum.

II. *Caustica.*

Argentum nitratum.

Acidum vitriolicum.

CLASS XVII.

DEMULCENTIA.

Gummi arabicum un. 1.—un. 3.

Oleum amigdalorum dr. 2.—un. $\frac{1}{2}$.

Spermaceti gr. 15.—gr. 60.

Althæa manip. 1.—2.

Cariçæ dr. 4.—un. 1.

Malva manip. 1.—2.

Lini semen dr. 4.—un. 1.

CLASS XVIII.

STIMULANTIA.

ORDERS.

I. *Topica.*

Sinapi	dr. 1.—dr. 2.
Raphanus rusticus	dr. $\frac{1}{2}$.—scr. 1.
Cantharides.....	gr. $\frac{1}{2}$.—gr. 2.
Mercurii præparationes.	

II. *Diffusibilia.*

Alkali volatile.

Calor.

Cinnamomum.

Nux moschata.

Vinum.

Électricitas.

Tinct. Opii..... gr. 3.—gr. 5.

CLASS XIX.

ANTISPASMODICA.

ORDERS.

I. *Stimulantia.*

Alkali volatile.

Olea essentialia.

Spiritus vini.

Æther vitriolicus *gt.* 30.—*gt.* 100.Valeriana *gr.* 10.—*dr.* 2.Asafoetida *gr.* 20.—*gr.* 40.Camphora *gr.* 3.—*gr.* 24.Moschus *gr.* 8.—*gr.* 24.Opium *gr.* 1.—*gr.* 3.

Electricitas.

II. *Tonica.*Cortex peruvianus *gr.* 10.—*dr.* 2.Ferrum *gr.* 10.—*gr.* 20.Zincum calcin. *gr.* 4.—*gr.* 10.

Cuprum.

Exercitium.

V. *Astringentia.*

CLASS I.

EMETICA.

FORMULÆ.

1 R.	Antim. tart.	gr. 5.
	Syr. papav. errat.	dr. 1.
	Aq. font.	un. 6.
	<i>d. un. 1. O. ½. h. usque ad vomitionem.</i>	
2 R.	Antim. tart.	gr. 2.
	Ipecac.	gr. 10.
	<i>p. r. n. s.</i>	
3 R.	Vin. antimon.	un. 1.
	Oxymel Scillæ	dr. 6.
	<i>p. r. n. s.</i>	
4 R.	Oxymel Scillæ	un. 2.
	<i>p. r. n. s.</i>	
5 R.	Oxymel Scillæ	un. 2.
	Suc. raph. rust.	un. 1.
	<i>p. r. n. s.</i>	
6 R.	Vin. ipec.	un. 1.
	Syr. violar.	dr. 2.
	<i>v. s.</i>	
7 R.	Vin. ipec.	un. 1.
	Vin. antim.	dr. 1.
	Syr. viol.	dr. 2.
	<i>v. s.</i>	
8 R.	Antim. tart.	gr. 1.
	Ipecac.	gr. 6.
	Calomel	gr. 3.
	<i>v. s.</i>	

CLASS II.

CATHARTICA.

FORMULÆ.

9 R.	Jalap	gr. 25.
	Zinzib	scr. 1.
	c. m.	
10 R.	Aloë soc.	dr. 12.
	Myrrh	un. 2.
	Croci	un. 1.
	Alkohol	lb. 2.
	Digere. Cola. d. dr. 4. —	un. 1. Sign.
	<i>Elixir Proprietatis.</i>	
11 R.	Aloë soc.	dr. 12.
	G. guaiac.	un. 1.
	Pulv. arom.	
	Bals. peruv.	āā dr. 4.
	Syr. cort. aur.	q. s.
	f. Pill. d. scr. i.	
12 R.	Aloë soc.	
	Extr. gentian.	āā dr. 1.
	Calomel	gr. 24.
	Mucil. gum. arab.	q. s.
	f. Pill. 11° 50 d. Pill. 2. h. s.	
13 R.	Aloë soc.	
	Extr. gentian.	āā dr. 1.
	Ferri vitriolat.	gr. 15.
	Syr. rosæ	q. s.
	f. Pill. d. gr. 10. h. s. s.	

FORMULÆ.

14. R. { Aloë soc.
Sapon. alb.
Pil. Gummi. āā un. 1.
d. scr. 1. h. s. s.

15. R. { Aloë soc.
Colocynth.
Scammon. āā dr. 1.
Extr. Jalap dr. 3.
Syr. simp. q. s.
f. Pill. d. gr. 12. h. s. s.

16. R. { Scammon.
G. guaiac. āā scr. 1.
Aq. cinnam.
Syr. rosæ. āā dr. 2.
f. haust. hydrag. m. s.

17. R. { Elaterii gr. 4.
Extr. gentian. gr. 4.
o. b. h. s.

18. R. { Flor. Sulph.
Cremor tart. āā un. 1.
Mel. q. s.
f. Elect. d. dr. 1. p. r. n.

19. R. { Kali vitriolat.
Jalap.
Valer. sylv. āā dr. 1.
Oxymel Scillæ un. 4.
d. dr. 4. ter in die.

FORMULÆ.

20. R. { Rhei scr. 1.
 Jalap gr. 5.
 Aq. cinnam. un. 1.
 Syr e Cort. Aur. dr. 1.
 m. s.

{ Rhei un. 1.
 Sennæ un. 2.
 Sem. fenic.
 Bac. junip.

21. R. { Scobis guaiac. āā dr. 4.
 Sach. alb. un. 4.
 Sp. vin. gal. lb. 3.
 Digere. Cola. d. un. 1. Elixir
 Salutis. vulgo Daffy's Elixir.

{ Rhei un. 1.
 Sennæ dr. 2.
 Cardam.

22. R. { Coriand. āā dr. 1.
 Croci.
 Coccinel. āā scr. 2.
 Uvæ pass. un. 3.
 Sp. vin. gal. lb. 1.
 Digere. Cola. d. un. 2. p. r. n.
 Boerhaave's Gout Cordial.

CLASS III.

DIAPHORETICA.

FORMULÆ.

23. R.	Contrayerv.	scr. 1.
	Syr. Croci.	q. s.
	f. Pil. h. s. s.	
24. R.	G. Guaiac.	scr. 1.
	Sal. C. C.	gr. 5.
	Cons. rosar.	scr. 2.
	h. s. s.	
25. R.	G. Guaiac.	
	Sach. alb.	āā dr. 2.
	Extr. Gent.	dr. 1.
	Mucil. G. arab.	q. s.
26. R.	f. Pil. d. gr. 15.	
	Cort. rad. Mezerii recent.	un. 1.
	Aq. font.	cong. 1½.
	Coque ad Cong. 1 & adde.	
	Glycer.	un. 1.
27. R.	d. un. 6. ter in die.	
	Sulph. antim. præcip. .	gr. 10.
	Hydrargyr. ē sulph. ...	dr. 2.
	Guaiac.	scr. 2.
	f. pulv. No. 10. c. 1. p. m. & v.	
28. R.	Sulph. antim. præcip. .	dr. 2.
	Calomel.	scr. 2.
	Ol. Sassafras	gt. 40.
	Extr. lig. guaiac.	dr. 7.
	Syr. papav. alb.	q. s.
	f. Pill. 80. d. No. 3. o. n.	

FORMULÆ.

29. R. { Mist. Camph. un. 1.
 Vin. Antimon. gr. 40.
 h. s. s.
30. R. { Camph. gr. 5.
 Tart. emet. gr. 1.
 Elect. è Scordio scr. 1.
 h. s. s.
31. R. { Mosch. gr. 10.
 Cons. ros. scr. 1.
 h. s. s.
32. R. { Mosch. (sach. alb. trit.) gr. 30.
 Aq. cinnam. un. 6.
 d. un. 1.
33. R. { Tinct. Opii. dr. 1.
 Vin. antimon. dr. 3.
 d. gr. 30. ad. 120. h. s.
34. R. { Tinct. Opii. gr. 40.
 Vin. ipec. dr. 3.
 Aq. Ammon. Acetat. ... dr. 4.
 Aq. rosar. un. 1.
 Sach. alb. dr. 2.
 h. s. s.
35. R. { Kali præpar. scr. 1.
 Suc. limon. dr. 4.
 Aq. cinnam. un. 1.
 Syrup. papav. errat. ... dr. 1.
 p. r. n. s.

CLASS IV.

DIURETICA.

FORMULÆ.

- | | |
|--------|--|
| 36. R. | { Sem. dauc. sylv.
Bac. junip. āā dr. 2.
Aq. font. lb. 1.
<i>Digere. Cola. d. un. 2. o. n.</i> |
| 37. R. | { Sem. dauc. sylv.
Sapon. alb. āā dr. 1.
Millep. ppt. dr. 2.
Muc. gum. arab. q. s.
<i>f. Pill. d. scr. 1. o. n.</i> |
| 38. R. | { Juniper bac. un. 4.
Vin. alb. lb. 2.
<i>Digere. d. un. 2. ter. in die.</i> |
| 39. R. | { Tereb. venet. dr. 1.
Mucil. g. arab. dr. 4.
Aq. puleg. un. 6.
Syr. e cort. aur. dr. 4.
<i>h. s. s.</i> |
| 40. R. | { Tinct. cantharid. gr. 30.
Infus. cort. per. un. 1.
Aq. N. M.
Syr. cort. aurant. āā dr. 1.
<i>bis in die.</i> |
| 41. R. | { Kali. gr. 10.
Rhei. scr. 1.
Ol. juniper gr. 4.
<i>h. s. s.</i> |

FORMULÆ.

42. R. { Kali.
Jalap.
Raphan. rust. āā un. 1.
Ciner. genist.
Millep. āā un. 2.
Vin. rhen. lb. 4.
Digere. Cola. d. un. 2.
43. R. { Oxymel scillæ dr. 3.
Conf. arom. scr. 1.
Aq. fæniculi un. 1.
Aq. cinnam. dr. 1.
c. m.
44. R. { Scillæ exsic. gr. 4.
Sapon. alb. scr. 1.
c. m. & v.
45. R. { Scill. recent. gr. 10.
Ammon. pulv. gr. 15.
Pulv. tragac. c. gr. 5.
f. Bolus. 6. ter in die. s.
46. R. { Tinct. scill. gr. 30.
Aq. cinnam. un. 1½.
Syr. caryoph. rubr. dr. 1.
f. Haustus. ter in die. s.

CLASS V.

EPISPASTICA.

FORMULÆ.

47. R. { Lin. Sapon. comp. un. 1½.
 Tinct. Canth. un. ½.
f. Lin. quod. part. affect. infricetur.

CLASS VI.

EXPECTORANTIA.

48. R. { Oxymel scillæ dr. 2.
 Aq. cinnamom. un. 1.
c. m.

49. R. { Scillæ recentis.
 Gum. ammon. āā un. 1.
 Glycyrr. q. s.
f. Pill. d. scr. 1. m. s.

50. R. { Enulæ.
 Glycyrr.
 Flor. sulph. āā un. 1.
 Mel. un. 4.
c. M. N. M. ter in die.

51. R. { Sperm. ceti. (v. o. s.) ... dr. 2.
 Lac ammon. dr. 8.
 Syr. croci. dr. 6.
d. un. 1. ter in die.

CLASS IX.

EMMENAGOGA.

FORMULÆ.

52. R. { Tinct. cantharid. *gt.* 20.
 Aq. pulegii. *dr.* 12.
 Syr. croci. *dr.* 1.
h. s. s.
53. R. { Pil. ex aloë cum myrrha *scr.* 2.
 Pil. gummi.
 Asæfetid. *āā dr.* 1.
 Calomel. *scr.* 1.
f. Pill. 40. c. Pill. 1. h. s.
54. R. { Pil. ex aloë cum myrrha *un.* 1.
 Ferri vitriolat. *dr.* 1.
f. Pill. d. scr. 1. h. s.
55. R. { Tinct. aloë comp.
 Tinct. ferri muriati *āā dr.* 2.
 Tinct. helebori nigri ... *dr.* 4.
d. dr. 1. m. & v.
56. R. { Fer. ammoniac.
 Pulv. aromat. *āā gr.* 10,
h. s. s.
57. R. { Fer. vitriolat. *dr.* 1.
 Sach. alb. *un.* 2.
d. dr. 1. ter in die.
58. R. { Fer. vitriolat. *gr.* 15.
 Aloë soc.
 Asæfetid.
 Extr. gent. *āā dr.* 2.
 Syr. cort. aurant. *q. s.*
f. Pill. d. gr. 10. h. s.

CLASS X.

ANTHELMINTICA.

FORMULE.

59. R.	Calomel	gr. 10.
	Rhei	gr. 16.
	m. s.	
60. R.	Hydrarg. c. sulphure.	
	Santonici	āā dr. 2.
	Sabinæ	scr. 1.
	Corallinæ	dr. 1.
	Syr. cort. aur.	q. s.
	f. Pill. d. scr. 1. m & v.	
61. R.	Stanni	un. 1.
	Theriac	un. 4.
	d. un. 1. o. m.	
62. R.	Spigeliæ	dr. 12.
	Aq. font.	lb. 3.
	f. Infusio. d. un. 6. m. & v.	
63. R.	Santonici.	
	Rhei.	
	Corallinæ.	
	Cor. cervi ust.	āā dr. 1.
	d. gr. 24. o. m.	
64. R.	Sapo. alb.	un. 1.
	o. m. ad. 10 ^m vicem.	
65. R.	Rhei	gr. 5.
	Flor. chamamel.	scr. 1.
	o. m. s.	

FORMULÆ.

66. R.	{	Gambog.	gr. 2.
		Calomel.	gr. 5.
		Jalap.	gr. 10.
		m. s.	

CLASS XI.

LITHONTHRIPTICA.

67. R.	{	Uvæ Ursi.	un. 1.
		Cons. ros. rub.	un. 2.
		Syr. ros.	q. s.
		f. Elect. d. dr. 2. ter in die.	

CLASS XIII.

ATTENUANTIA.

68. R.	{	Spongiæ ust.	un. 3.
		Syr. althææ.	q. s.
		f. Trochisci 60.	
		Horum unus h. s. linguâ suppositus, ibi per noctem lente deliquescat. Troches for the <i>Bronchocele</i> .	

CLASS XIV.

ANTISEPTICA.

FORMULÆ.

FORMULÆ.

69. R.	Decoct. cort. Per.	dr. 12.
	Tinct. cort. Per. comp.	dr. 2.
	Pulv. cort. Per.	scr. 1.
	Syr. cort. aur.	dr. 1—6.
<i>q. h. s.</i>		
70. R.	Decoct. cort. Per.	un. 8.
	Conf. aromat.	dr. 2.
	Tinct. serpent.	dr. 4.
	Aq. cinnam.	dr. 12.
	Syr. croci.	dr. 4.
<i>d. un. 2. 4. q. h.</i>		
71. R.	Cort. Per.	un. 5.
	Myrrh.	un. 1.
	Sp. vin. tenui.	lb. 2.
	<i>Digere. cola. d. dr. 4. ter in die.</i>	
	<i>Addendo superioribus.</i>	
	<i>Acid vitriol. dilut. gt. 10. ad gt. 20.</i>	
<i>p. r. n.</i>		
72. R.	Suc. limon.	dr. 4.
	Kali.	
	Confect. arom.	<i>āā</i> scr. 1.
	Syr. tolu.	dr. 1.
	Aq. cinnamom.	un. 1—8.
<i>q. h. s.</i>		
73. R.	Mist. camph.	un. 1.
	Tinct. asæfætid.	dr. 2.
	Aq. ammoniæ acetat. ...	dr. 3.
	Syr. croci.	dr. 1—8.
<i>q. h. s.</i>		

CLASS XV.

ASTRINGENTIA.

FORMULÆ.

74. R. { Alum gr. 30.
Sang. dracon. dr. 1.
Syr. ros. q. s.
f. Pill. n^o 28. c. Pill. 3. ter in die.
75. R. { Alum dr. 2.
Cort. Per. un. 1.
Conserv. ros. dr. 12.
Syr. ros. q. s.
f. Elect. c. M. N. M. ter in die.
76. R. { Limat. ferri.
Ter. japon. āā dr. 3.
Cort. Per. un. 2.
Syr. zinzib. q. s.
f. Elect. c. M. N. M. ter in die.
77. R. { Ferri. rubig.
Cort. Peruv. āā un. 1.
Spec. arom. dr. 4.
Cons. cort. aur. un. 2.
Syr. cort. aur. q. s.
f. Elect. c. M. N. M. ter. in die.
78. R. { Ferri vitriolat.
Myrrh.
Flor. chamæmel āā gr. 10.
bis die s.

FORMULÆ.

79. R. { Zinci vitriolati. gr. 25.
Rhei. gr. 5.
Tereb. venet. q. s.
bis d. s.
80. R. { Cort. Peruv.
Confect. aromat. āā scr. 1.
Aq. cinnam. dr. 12.
Spir. cinnam.
Syr. cort. aur. dr. 1.
m. s.
81. R. { Tinct. cort. Per. comp. dr. 1.—dr. 3.
bis in die.
82. R. { Tinct. cort. Per. comp. un. 1.
Vin. ferri. dr. 4.
c. dr. 4. ter in die.
83. R. { Tormentil.
Cort. Peruv.
Glycyrrh. āā un. 1.
Syr. cort. aur. q. s.
f. Elect. d. M. N. M. ter in die.

V. ANTISEPTICA tonica.

CLASS XVII.

DEMULCENTIAE

FORMULÆ.

84. R. { G. arab. un. 1.
 { Aq. font. un. 3.
 { Cola. adde.
 { Sach. alb. dr. 4.
 { c. dr. 1. *urgente Tussi.*
85. R. { Amygd. dulc. no. 15.
 { Ol. amygd. un. 1.
 { Gum. arab.
 { Sach. alb. āā dr. 2.
 { Aq. cinnam. un. 8.
 { d. un. 1. *p. r. n.*
86. R. { Ol. amygd. un. 2.
 { Syr. viol.
 { Syr. tolut. āā un. 1.
 { Sach. alb. dr. 2.
 { f. Troch. *p. r. n.*
87. R. { Ol. amygd.
 { Syr. viol. āā un. 1.
 { Sperm. ceti. dr. 2.
 { Cons. ros. dr. 4.
 { p. r. n. s.
88. R. { Ol. amygd. dr. 3.
 { Liq. vol. C. C. gr. 30.
 { Syr. tolut. dr. 1.
 { Aq. distil. dr. 12.
 { 6. q. h. s.

FORMULE.

89. R.	Sperm. ceti. (v. o. s.)...	gr. 30.
	Suc. limon.	dr. 3.
	Sal. C. C.	gr. 8.
	Sp. N. M.	dr. 3.
	Syr. tolu.	dr. 1.
	Aq. distil.	dr. 12.

6. q. h. s.

90. R.	Caric.	
	Uvar. pass.	
	Althæ.	āā un. 1.
	Glycyrr.	dr. 2.
	Aq. bul.	lb. ij.
	f. Infusio. d. un. 2. p. r. n.	

CLASS XVIII.

STIMULANTIA.

91. R.	Sinapi.	
	Cons. ros.	āā un. 1.
	Syr. zinzib.	q. s.
	f. Elect. p. r. n. s.	
92. R.	Raph. rust.	
	Sinapi.	āā un. 4.
	Aq. bul.	lb. 4.
	f. Infus. q. un. 4. ter in die.	

CLASS XIX.

ANTISPASMODICA.

FORMULÆ.

93. R. { Asafœtid. dr. 2.
 { Ol. anisi. gr. 30.
 { d. gr. 24. p. r. n. s.

94. R. { Camphor. gr. 10.
 { Gum. arab. scr. 1.
 { Syr. papav. alb. q. s.
 { f. bol. p. r. n. s.

95. R. { Mosch. scr. 2.
 { Gum. arab. dr. 1.
 { Aq. ros. un. 6.
 { Syr. papav. alb. dr. 4.
 { d. un. 1. p. r. n. s.

96. R. { Mist. moschat. dr. 4.
 { Ether vitr. gr. 30.
 { p. r. n. s.

97. R. { Mosch. gr. 20.
 { Asafœtid.
 { Camph. āā scr. 2.
 { Tinct. opii. gr. 30.
 { Syr. papav. alb. q. s.
 { f. Pill. N° 20. d. Pill. 5. m. & v. s.

98. R. { Valerian. dr. 2.
 { Aq. cinnam. un. 2.
 { Aq. N. M.
 { Syr. croci. āā dr. 1.
 { m. & v. s.

FORMULÆ.

	Valerian.	
	Cort. Peruv.	āā dr. 6.
	Rei.	
99. R.	Pulv. arom.	āā scr. 2.
	Syr. cort. aur.	q. s.
	f. Elect. de M. N. M. ter in die.	

1. Gas oxygenium.
2. Gas azoticum.
3. Gas hydrogenium.
4. Gas acidum Carbonicum.

These factitious airs promise, under the skilful management of Dr. BEDDOES at the Hot Wells, Bristol, and Dr. THORNTON in London, to be a remedy well worthy the attention of the medical practitioner.

The *oxygen* air, in a properly diluted state, is a stimulus the most natural and diffusive. It promotes the insensible perspiration, greatly aids digestion, favours sleep, exhilarates the spirits, and relieves difficult respiration. It is found of the highest use in the low nervous fever. The *azotic* air abates inflammation, and is the only remedy with the *hydrogene* air that is found capable of arresting the progress of consumption; and the *carbonic acid* air is a most powerful antiseptic.

A
GENERAL INDEX;

WITH
AN EXPLANATION OF THE TERMS.

THE ABBREVIATIONS.

<i>āā</i>	Uniuscujusque.....	Equal quantities.
<i>c.</i>	capiat.....	Let him take.
<i>C. C.</i>	Cornu Cervi.....	Hartshorn.
<i>F.</i>	Formula.....	The Prescription.
<i>d.</i>	Dosis.....	The Dose.
<i>dr.</i>	Drachma.....	A Drachm.
<i>gr.</i>	Granum.....	A Grain.
<i>gt.</i>	Gutta.....	A Drop.
<i>h. s.</i>	Horâ somni.....	Bed-time.
<i>m.</i>	Mane.....	The Morning.
<i>M. N. M.</i>	Magnitudinem Nucis Moschatæ...	The size of a Nutmeg.
<i>o. h.</i>	Omni hora.....	Each Hour.
<i>o. 2. h.</i>	Omni bihora.....	Every two Hours.
<i>6. q. h.</i>	Sextâ quâque horâ.....	Every six Hours.
<i>p. r. n.</i>	Pro re natâ.....	As occasion may require.
<i>q. s.</i>	Quantum sufficit.....	As much as is sufficient.
<i>r.</i>	Recipe.....	Take of.
<i>s.</i>	Sumendus.....	To be taken.
<i>scr.</i>	Scrupulus.....	A Scruple.
<i>un.</i>	Uncia.....	An Ounce.
<i>v.</i>	Vespere.....	The Evening.
<i>v. o. s.</i>	In ovi vitello solutus...	Dissolved in the White of an Egg.

THE CLASSES.

	CLASS.
Anthelmintica... from <i>αντι</i> , against; and <i>ελμινς</i> , a worm	X
Antiseptica..... — <i>αντι</i> , against; and <i>σηπω</i> , to corrupt	XIV
Antacida..... — ante, against; and acidus, sour...	XII
Antispasmodica — <i>αντι</i> , against; and <i>σπασω</i> , to contract	XIX
Astringentia..... — <i>αstringo</i> , to bind.....	XV
Attenuantia..... — <i>attenuo</i> , to make thin.....	XIII
Cathartica..... — <i>καθαριζω</i> , to purge.....	II
Corrosiva..... — <i>corrodo</i> , to corrode.....	XVI
Demulcentia..... — <i>demulceo</i> , to assuage.....	XVII
Diaphoretica.... — <i>διαφερω</i> , to pass through the pores...	III
Diuretica..... — <i>διωρω</i> , to make water.....	IV
Emmenagoga.... — <i>εν</i> , in; <i>μην</i> , the menses; and <i>αγω</i> , } to draw }	IX
Epispastica..... — <i>επι</i> and <i>σπασω</i> , to draw.....	V
Errhina..... — <i>εν</i> , in; and <i>ρις</i> , the nose.....	VII
Expectorantia... — <i>ex</i> , out; and <i>pectus</i> , the breast...	VI
Lithontriptica.. — <i>λιθος</i> , a stone. and <i>θρυπτω</i> , to break	XI
Sialagoga..... — <i>σικαλον</i> , saliva; and <i>αγω</i> , to force...	VIII
Stimulantia — <i>stimulo</i> , to stimulate.....	XVIII

THE MEDICINES.

A.	Class.	Or.
Æther vitriolicus ... { Vitriolic Æther }	XIX	I
{ V. F. 96. }		
Absinthium..... Wormwood.....	XIV	I
Acetōsa..... Sorrel.....	IV	II
Acētum..... Vinegar.....	IV	II
Acidum vitriolicum { Vitriolic Acid..... }	XV	III
{ V. F. 71. }	XVI	H
Alōe socotōrina.... { Socotrine Aloes..... }	II	I
{ V. F. 10, 11, 12, 13, 14, 15. 58. }	IX	I
Alūmen ustum..... { Burnt Alum..... }	XVI	I
{ V. F. 74, 75. }		
Alkōhol..... { V. F. 10. }	XIV	III
{ V. F. 10. }	XV	III
Alkalīna..... { Alkali..... }	XII	II
{ Alkali..... }	XIII	H
Alkali volatile..... { Volatile Alkali..... }	XVIII	II
{ Volatile Alkali..... }	XIX	I
Allium..... Garlic.....	VI	I
Althæa..... { Marshmallow..... }	XVII	I
{ V. F. 90. }		
Amygdāla dulcis... { Sweet Almond..... }		
{ V. F. 85. }		
Ammoniacum gum- { Gum-resin of Ammo- }		
mi-resina..... niacum..... }		
{ V. F. 49. }		
Ammonia..... { V. F. 45. }	XII	II
Ammoniacum..... { Gum Ammoniacum... }	VI	I
{ V. F. 41. }		
Angelica.....	VIII	I

		Class.	Or.
Antimonium tartarizatum.....	<i>Tartarised Antimony</i>	I	I
	<i>Olim Tartar Emetic</i>	II	II
	<i>V. F. 1, 2. 8. 22....</i>	IV	I
Apium.....	<i>Parsley</i>	IV	I
Aqua.....	<i>Water</i>	III	IV
— ammoniæ acetatæ.....	<i>Water of Ammonia.</i>		
	<i>V. F. 34. 73.</i>		
	<i>Cinnamon Water,</i>		
— cinnamomi....	<i>V. F. 16, 20, 32. 35.</i>		
	<i>43. 46. 48. 70. 72.</i>		
	<i>80. 98.</i>		
— calcis.....	<i>Lime Water</i>	X	IV
		XI	I
— foeniculi.....	<i>Fennel Water.</i>		
	<i>V. F. 43.</i>		
— kali puri.....	<i>Water of pure Kali...</i>	XI	I
— mephitica alkalina.....		XI	I
— nucis moschatæ.....	<i>Nutmeg Water.</i>		
	<i>V. F. 40. 98.</i>		
— pulegii.....	<i>Pennyroyal Water.</i>		
	<i>V. F. 39. 52. 100.</i>		
— rosarum.....	<i>Rose Water.</i>		
	<i>V. F. 24. 95.</i>		
Aromatic powder....	<i>V. Pulvis aromaticus.</i>		
Argentum nitratum	<i>Nitrated Silver.....</i>	XVI	II
Atrīca.....	<i>Leopard's bane.....</i>	III	I
Arsenicum.....	<i>Arsenic.....</i>	XV	I
Asafoetida.....	<i>V. F. 93. 97.....</i>	IX	III
		XIV	III
		XIX	I
Asarum.....	<i>Asarabacca.....</i>	I	I
		VIII	I
	<i>B.</i>		
Baccus juniperi.....	<i>Juniper Berry.</i>		
	<i>V. F. 21. 36. 38.</i>		

		Class.	Or.
Balsamum Peruvia-	{ <i>Balsam of Peru.</i>		
num			
<i>Bearsfoot</i>	<i>V. F. 11.</i>		
<i>Beet</i>	<i>V. Uva Ursæ.</i>		
<i>Berberis</i>	<i>V. Beta.</i>		
<i>Bēta</i>	<i>Barberry</i>	IV	II
<i>Betonica</i>	<i>Beet</i>	VII	I
<i>Bitter apple</i>	<i>Betony</i>	VII	I
<i>Broom tops</i>	<i>V. Colocynthis.</i>		
	<i>V. Genistæ Cacamien</i>		

C.

Calomēlas	{ <i>Calomel</i>	II	I
		III	II
Calor.....	<i>V. F. 8. 12. 28. 53.</i>		
	<i>59. 66.</i>		
Camphōra.....	<i>Warmth</i>	XVIII	II
	{ <i>Camphor</i>	III	III
		XIV	III
	<i>V. F. 30. 94. 97.</i>	XIX	I
Camphorated mixture	<i>V. Mistura Campho-</i>		
	<i>rata.</i>		
	{	IV	I
Cantharides		V	II
	<i>Spanish Fly</i>	IX	I
	{	XVIII	I
Carīca.....			
	<i>The Fig</i>		
	<i>V. F. 90.</i>	XVII	I
Cardamōmum.....	<i>Cardamom Seed.</i>		
	<i>V. F. 22.</i>		
Castoreūm		IX	III
Cineres genistæ.....	<i>The Ashes of Broom.</i>		
	<i>V. F. 42.</i>		
Cinchona.....	<i>V. Cortex Peruvianus.</i>		
Cinnamōmum.....	<i>Cinnamon</i>	XVIII	II
Couhage.....	<i>V. Stizolobium.</i>		
Coccinella.....	<i>Cochineal.</i>		
	<i>V. F. 22.</i>		
Colchicūm.....	<i>Meadow Saffron</i>	IV	I

		Class.	Or.
Coltsfoot.....	<i>V. Tussilago.</i>		
Conserva rosarum...	<i>Conserve of Roses.</i> <i>V. F. 24. 31. 67. 75.</i> <i>87. 91.</i>		
Coriandrum.....	<i>Coriander.</i> <i>V. F. 22.</i>		
Cornu cervi ustum	<i>Burnt Hartshorn.</i> <i>V. F. 63.</i>		
Cortex Peruvianus...	<i>Peruvian Bark.....</i>	XIV	I
	<i>V. F. 71. 75, 76, 77.</i>	XV	II
	<i>80. 83. 99.</i>	XIX	I
Cortex radicis me- zerici.....	<i>The Bark of the Me- zereon Root.....</i>	V	I
	<i>V. F. 26.....</i>		
Corporis exercitio...	<i>Bodily Exercise.....</i>	IX	II
Corallina.....	<i>Coral.</i> <i>V. F. 60. 63.</i>		
Conserva corticis au- rantii.....	<i>Conserve of Orange peel.</i> <i>V. F. 77.</i>		
Confectio aromatica	<i>Aromatic Confection.</i> <i>V. F. 70. 72. 80.</i>		
Contrayerva.....	<i>V. F. 23.....</i>	III	I
Colocynthis.....	<i>Bitter Apple.....</i>	II	I
	<i>V. F. 15.....</i>		
Cuprum.....	<i>Copper.....</i>	XV	I
		XIX	II
Cuprum vitriolatum	<i>Vitriolated Copper.....</i>	XVI	I
		I	I
Chamæmēlum.....	<i>Chamomile.....</i>	XIV	I
Cremer tartari.....	<i>Cream of Tartar.</i> <i>V. F. 18.</i>		
Creta præparata.....	<i>Prepared Galk.....</i>	XIII	II
Crocus.....	<i>Saffron.</i> <i>V. F. 10. 22.</i>		
D.			
Dandelion.....	<i>V. Taraxicum.</i>		
Daucus sylvestris...	<i>Wild Carrot.....</i>	IV	I

		Class.	Or.
Decoctum corticis Peruviani.....	{ Decoction of Peruvian Bark. V. F. 70.		
Dietā lauta.....	A full Diet.....	IX	II
Digitālis.....	Foxglove.....	I	III
Dragon's blood.....	V. Sanguis Draconis.	II	VI
E.			
Euphorbium.....		VII	I
Elatērium.....	Wild cucumber.....	II	I
Electricitas.....	Electricity.....	IX	I
		XVIII	II
		XIX	I
Electuarium e scor- dio.....	{ Electuary of Water-germander. V. F. 20.		
Enūla.....	{ Elecampane..... V. F. 50.....	VI	I
Exercitium.....	Exercise.....	XIX	II
Extractum gentiāne	{ Extract of Gentian. V. F. 12, 13, 17, 25.		
Extractum jalapii...	{ Extract of Jalap. V. F. 15.		
Extractum ligni gua- iaci.....	{ Extract of Guaiacum Wood. V. F. 28.		
F.			
Ferrum.....	Iron.....	XIX	II
Ferri rubigo.....	{ Rust of Iron..... V. F. 77.....	IX	II
— limatura.....	Filings of Iron.....	XV	I
Ferrum ammoniacale.....	{ Ammoniacal Iron..... V. F. 56.....	XV	I

		Class.	Or.
Ferrum vitriolatum	<i>Vitriolated Iron</i> V. F. 13. 54. 57. 58. } 78	X XV	I I
<i>Filings of Iron</i>	V. <i>Limatura Ferri.</i>		
Filix.....	<i>Fern Root</i>	X	I
Fox glove.....	V. <i>Digitalis.</i>		
Flores chamæmeli...	<i>Chamomile Flowers.</i> V. F. 65. }		
— sulphuris.....	<i>Flowers of Sulphur</i> ... } V. F. 18. 50.	II	III
French brandy.....	V. <i>Spiritus Vini Gallici.</i>		
Fructus et vegetabilia	<i>Fruits and vegetables</i>	XIII	II
G.			
Gallæ.....	<i>Galls</i>	XV	II
Gambogia.....	<i>Gamboge</i>	II	I
	V. F. 66.	X	V
Garlic.....	V. <i>Allium vel Theriaca</i>		
Genistæ cacumen...	<i>Broom Tops</i>	IV	I
Ginger.....	V. <i>Zingiber.</i>		
Gummi Arabicum..	<i>Gum Arabic.</i> V. F. 85. 94. 95. }		
Guaiaicum gummi-	<i>Gum-resin of Guaicum</i> }	II	II
resina.....	V. F. 11. 16. 24. 25. } 27.	III	I
Glycyrrhiza.....	<i>Liquorice</i>		
	V. F. 26. 49. 50. 83. } 90.	VI	II
H.			
Hellebörus.....	<i>Hellebore</i>	VII X	I I
Henbane.....	V. <i>Hyoscyamus.</i>		
Honey.....	V. <i>Mel.</i>		
Horehound.....	V. <i>Marrubium.</i>		
Horse-radish.....	V. <i>Raphanus Rusticanus.</i>		
Hyoscyamus.....	<i>Henbane</i>	II	VI

		Class.	Or.
Lini semen	Linseed	XVII	I
Liquor volatilis cornu cervi	<i>The Volatile Liquor of Hartshorn</i> V. F. 88.	III	III
M.			
Madder	V. Rubia.		
Magnesia		XII	I
Manna		II	V
Marrubium	Horehound	VI	I
Meadow saffron	V. Colchicum.		
Mel	Honey: V. F. 18, 59.		
Mercurial Ointment	V. Unguentum Hydrargyri.		
Mercury	V. Hydrargyrum.		
Millipedæ præparata	Prepared Woodlice. V. F. 37. 42.		
Mistura camphorata	Camphorated Mixture. V. F. 29. 72.		
Moschus	Musk	III	III
Mucilago gummi arabici	V. F. 31, 32	XIX	I
Mustard	V. Sinapi.		
Myrrha	Myrrh	IX	III
	V. F. 10. 71. 78.		
N.			
Natron vitriolatum	Vitriolated Natron ...	II	III
Nicotiana	Tobacco	I	III
		II	VI
		VII	I
		VIII	I
— fumus ...	Smoke of Tobacco ...	VI	I
Nitrum	Nitre	IV	II
Nux moschata	Nutmeg	XVIII	II

	O.	Class.	Or.
<i>Oak</i>	<i>V. Quercus.</i>		
<i>Oleum amygdala-</i> <i>rum</i>	<i>Oil of Almonds</i>	XVII	I
— <i>anisi</i>	<i>V. F. 85, 86, 87, 88.</i> <i>Oil of Anise.</i> <i>V. F. 93.</i>		
<i>Olea essentialia</i>	<i>Essential Oils</i>	XIX	I
<i>Oleum juniperi</i>	<i>Oil of Juniper.</i> <i>V. F. 41.</i>		
— <i>olivarum</i> ...	<i>Olive Oil</i>	X	I
— <i>ricini</i>	<i>Castor Oil</i>	II	V
— <i>turebinthina</i>	<i>Oil of Turpentine</i>	X	III
<i>Opium</i>		XIV	III
		III	III
		XIX	I
<i>Oxymel scillæ</i>	<i>Oxymel of squills.</i> <i>V. F. 3, 4, 5, 19, 43.</i> <i>48.</i>		
	P.		
<i>Parsley</i>	<i>V. Apium.</i>		
<i>Pediluvium</i>	<i>Bathing of the Feet</i>	IX	III
<i>Piper</i>	<i>Pepper</i>	VIII	I
<i>Pilula ex alœe cum</i> <i>myrrha</i>	<i>Aloetic Pills with</i> <i>Myrrh.</i> <i>V. F. 53, 54.</i>		
— <i>ex hydrargyri</i>	<i>Mercurial Pills</i>	VIII	II
— <i>gummi</i>	<i>Gum Pills.</i> <i>V. F. 14, 53.</i>		
<i>Pulvis tragacanthæ</i> <i>compositus</i>	<i>Compound Powder of</i> <i>Tragacanth.</i> <i>V. F. 41.</i>		
— <i>aromaticus</i> ...	<i>Aromatic Powder.</i> <i>V. F. 11, 56, 99.</i>		
— <i>corticis Peru-</i> <i>viani</i>	<i>Peruvian Bark in Pow-</i> <i>der.</i> <i>V. F. 69.</i>		
<i>Prepared oyster shells.</i>	<i>V. Testæ ostræorum, pp.</i>		

		Class.	Or.
	Q.		
Quercus	Oak Bark	XV.	II
	R.		
Raisins	V. Uvæ papæ.		
Raphanus Rustica-	{ Horse-radish	I	II
nus	{ V. F. 41. 92.	V	I
		XVIII	I
Rubia	Madder	IX	I
Rheum vel	{ Rhubarb	IV	V
Rhabarbarum	{ V. F. 21, 22. 41. 59.	II	IV
	{ 63. 65. 79.	IX	V
Rheubarb	V. Rheum.		
	S.		
Sabiria	{ Savin	IX	I
	{ V. F. 60.	X	IV
Saccharum album	{ Refined Sugar.		
	{ V. F. 21. 25. 34. 57.		
	{ 84. 85.		
Sal cornu cervi	{ Salt of Hartshorn.		
	{ V. F. 24. 89.		
Sal Prunellæ	Purified Nitre	VIII	I
Sales acidi et nutri	Acid and Neutral Salts	XIV	II
Santonicum	{ Wormseed	X	IV
	{ V. F. 60. 63.		
Sanguis draconis ...	{ Dragon's Blood	XV	II
	{ V. F. 74.		
		X	V
Sapo	{ Soap	XI	I
	{ V. F. 14. 37. 44. 64.	XII	I
		XIII	II
Semen dauci sylves-	{ Seed of the Wild Carrot.		
tris	{ V. F. 36. 37.		
Senna	V. F. 21, 22.	II	I

		Class.	Or.
Semen fœniculi	{ Fennel Seed. V. F. 21.		
Silver	V. Argentum.		
Simarouba		XV	II
Sināpi	{ Mustard	I	II
	{ V. F. 91, 92.	V	I
Sorrel	V. Acetosa.	XVIII	I
Succus limonis	{ Lemon juice. V. F. 35, 89.		
— raphani rus- ticani	{ The Juice of Horse- radish. V. F. 5.		
Sulphur antimonii præcipitatum	{ Precipitated Sulphur of Antimony. V. F. 28.		
Scammonium	{ Scammony	II	I
	{ V. F. 15, 16	X	V
Scilla exsiccata	{ Dried Squills	I	I
	{ V. F. 44	IV	I
— recens	{ Fresh Squills. V. F. 45.	VI	I
Scobi guaiaci	{ Rasplings of Guaiacum. V. F. 21.	VIII	I
Serum lactis	Whey	IV	III
Spermaceti	V. 51, 87, 89	XIII	I
Spiritus vinosus te- nuior	{ Proof Spirit of Wine. V. F. 71.	VI	II
Spiritus vini	Spirit of Wine	XVII	I
Squills	V. Scilla.	XIX	I
Spigelia	{ Indian Pink. V. F. 62.		
Spiritus nucis mos- chatæ	{ Spirit of Nutmeg. V. F. 89.		

		Class.	Or.
Spiritus vini gallici	French Brandy. V. F. 21, 22.		
— cinnamomi	Spirit of Cinnamon. V. F. 80.		
Stannum	Tin		
Stizolobium	Couhage	X	I
Syrupus simplex	Simple Syrup. V. F. 15.		
— althææ	Syrup of Marshmallows V. F. 68.		
— corticis au- rantii	Syrup of Orange-peel. V. F. 11. 39. 49. 58. 60. 69. 77. 80. 83. 99.		
— caryophilli rubri	Syrup of Clove July- flower. V. F. 46. 100.		
— croci	Syrup of Crocus. V. F. 23. 52. 70. 72. 98.		
Syrupus papaveris erratici	Syrup of Wild Poppies. V. F. 1.		
— papaveris albi	Syrup of White Poppies. V. F. 28. 94. 95. 97.		
— Rosæ	Syrup of Roses. V. F. 13. 16. 67. 74. 75.		
— toluianus	Syrup of Tolu		
— violarum	Syrup of Violets. V. F. 6. 7. 86. 87.		
— zinziberes	Syrup of Ginger. V. F. 76. 91.		

		Class.	Or.
	T.		
Tanacētum	Tansy	X	IV
Taraxācum	Dandelion	IV	I
Terra japonica	Japan Earth. V. F. 76.		
Terebinthīna venēta	Venice Turpentine. V. F. 30. 79.		
Terebinthīna	Turpentine	IV	I
Testæ ostreorum præparatæ	Prepared Oyster-shell	XII	II
Tin	V. Stannum.		
Tinctura asafœtidæ	Tincture of Asafœtida V. F. 72.		
— alœe compo- sita	Compound Tincture of Aloes. V. F. 55.		
— opii	Tincture of Opium. V. F. 33, 34. 97.		
— cantharides	Tincture of Cantharides. V. F. 40. 47. 53.		
— corticis Pe- ruviani composita	Compound Tincture of Peruvian Bark. V. F. 69. 81, 82.		
— ferri muriati	Tincture of muriated Iron. V. F. 55.		
Tinctura helebōri nigri	Tincture of Black Hel- lebores.		
— scillæ	Tincture of Squills. V. F. 46.		
— serpentariæ	Tincture of Serpentaria V. F. 70.		
— valerianæ ammoniata	Ammoniated Tincture of Valerian. V. F. 100.		
Tormentilla	Tormentil. V. F. 83.		

		Class.	Or.
<i>Turpentine</i>	<i>V. Terebinthina.</i>		
<i>Tussilāgo</i>	<i>Coltsfoot</i>	VI	II
<i>Theriaca</i>	<i>Garlic.</i>		
	<i>V. F. 61.</i>		
V.			
<i>Valeriana</i>	<i>Valerian</i>	XIX	I
	<i>V. F. 19.</i>		
<i>Vapores</i>	<i>Steam</i>	VI	II
<i>Vesicatoria</i>	<i>Irritating plasters</i>	VI	I
<i>Vinegar</i>	<i>V. Acetum.</i>		
<i>Vinum</i>	<i>Wine.</i>	XVIII	II
— album	<i>White Wine.</i>		
	<i>V. F. 38. 42.</i>		
— antimonii .	<i>Antimonial Wine</i>	III	II
	<i>V. F. 3. 6, 7. 29. 33.</i>		
— Ipecacuan-	<i>Ipecacuanha Wine.</i>		
hæ	<i>V. F. 6, 7. 34.</i>		
U.			
<i>Unguentum hydr-</i>	<i>The Milder Mercurial</i>	VIII	II
<i>gyri mitius</i>	<i>Ointment</i>		
<i>Unguentum hydr-</i>	<i>The Stronger Mercu-</i>	VIII	II
<i>gyri fortius</i>	<i>rial Ointment</i>		
<i>Uvæ passæ</i>	<i>Raisins.</i>		
	<i>V. F. 22. 90.</i>		
— ursi	<i>Bear's-foot</i>	XI	II
W.			
<i>Wormwood</i>	<i>V. Absintium.</i>		
<i>Wormseed</i>	<i>V. Santonicum.</i>		
<i>Wine</i>	<i>V. Vinum.</i>		
<i>Why</i>	<i>V. Serum Sactis.</i>		

GENERAL PSYCHOLOGICAL TABLE

THE

APPENDIX.

APPENDIX

GENERAL POSOLOGICAL TABLE.

A.

DOSES.

Acetum Scillæ	Vinegar of Squilla ...	gtt. 10...gtt. 50.
Acidum muriaticum	Muriatic Acid	gtt. 15...gtt. 40.
— vitriolicum	} Diluted Vitriolic Acid	gtt. 10...gtt. 30.
dilutum		
Æther vitriolicus ...	Vitriolic Æther	gtt. 10...gtt. 100
Aloe socotrina	Socotrine Aloes	gr. 15...scr. 1.
Alumen	Alum	gr. 6...gr. 12.
Ammonia preparata	Prepared Ammonia	gr. 5...scr. 1.
Ammoniacum	Gum Ammoniacum ...	gr. 10...gr. 15.
Antimonium	Crude Antimony	scr. 1...dr. 1.
— calci-	} Calcined Antimony ...	gr. 15...scr. 2.
natum		
— tartar-	} Tartarised Antimony	gr. 1...gr. 6.
isatum		
— vitri-	} Vitrified Antimony ...	gr. 2...gr. 10.
ficatum		
× Aqua ammoniæ	Water of Ammonia	gtt. 10...gtt. 30.
— ace-	} Water of acetated	dr. 2...dr. 6.
tatz		
— anethi	Dill-seed Water	un. 1...un. 2.
— calcis	Lime Water	un. 4...lb. $\frac{1}{2}$.
— cinnamomi ...	Cinnamon Water ...	un. 2...un. 4.
— fœniculi	Fennel Water	un. 2...un. 4.
— kali	} Water of prepared	gtt. 20...gtt. 30.
— puri		
— menthæ pipe-	Water of pure Kali	gtt. 10...gtt. 30.
ritidis	Peppermint Water ..	un. 2...un. 4.

DOSES.

Aqua pimento.....	All-spice Water	un. 2...un. 4.
— pulegii	Pennyroyal Water ...	un. 2...un. 4.
— Rosæ.....	Rose Water	ad libitum.
Arabicum Gummi.....	Gum Arabic.....	dr. 1...dr. 2.
Asafoetida		gr. 10...scr. 1.

B.

Balsamum canadense	Canada Balsam	gr. 15...gr. 30.
— copaivæ	Balsam of Copaiva	gtt. 20...gtt. 40.
— peruvia- num	Balsam of Peru	gr. 6...gr. 25.
— toluatanum	Balsam of Tolu	scr. 1...dr. 1.

C.

Calomelas	Calomel	gr. 3...gr. 10.
Camphora	Camphor	gr. 3...scr. 1.
Cantharis	Cantharides	gr. 2...gr. 4.
Cardamomum	Cardamom seeds	gr. 5...gr. 10.
Cascarilla	Cascarilla Bark.....	scr. ½...dr. 1.
Castoreum	Castor	gr. 3...scr. 1.
Catechu		gr. 15...scr. 2.
Chamomelum.....	Camomile	scr. ½...dr. 1.
Cicuta	Hemlock.....	gr. 5...scr. 1.
Cinchona	Peruvian Bark	scr. 1...dr. 2.
Colomba		gr. 10...scr. 1.
Confectio aromatica	Cordial Confection ...	gr. 15...scr. 2.
— opiata	Confection of Opium	gr. 5...scr. 1.
Conserva absinthii	Conserve of Sea	dr. 2...un. ½.
— maritimi	Wormwood	
— ari	Conserve of Cuckow- pint	scr. 1...dr. 1.
— corticis au- rantii	Conserve of Orange Peel	ad libitum.
— cynosbati	Conserve of Hips ...	ad libitum.

DOSES.

Conserua iululae	Conserve of Wood-sorrel	dr. 4...un. 1.
— pruni sylvestris	Conserve of Sloes	dr. 1...dr. 3.
— rosae rubrae	Conserve of Red Roses ..	dr. 2...un. 1.
— scillae	Conserve of Squills ..	scr. 1...dr. 1.
Contrayerva		gr. 10...dr. $\frac{1}{2}$.
Coriandrum	Coriander Seeds	scr. 1...dr. 1.
Cornu cervi ustum	Burnt Hartshorn	dr. $\frac{1}{2}$...dr. 2.
Creta	Chalk	gr. 15...scr. 1.

D.

Decoctum cinchonae	Decoction of Peruvian Bark	un. 2...un. 6.
— cornu cervi	Decoction of Hartshorn	un. 4...lb. $\frac{1}{2}$.
— hordei	Simple Decoction of Barley	un. 4...lb. $\frac{1}{2}$.
— compositum	Compound Decoction of Barley	un. 4...lb. $\frac{1}{2}$.
— sarsaparillae	Simple Decoction of Sarsaparilla	un. 4...lb. $\frac{1}{2}$.
— compositum	Compound Decoction of Sarsaparilla ..	un. 4...lb. $\frac{1}{2}$.
— ulmi	Decoction of Elm ..	un. 4...lb. $\frac{1}{2}$.
Digitalis	Fox-glove	gr. $\frac{1}{2}$...gr. 2.

E.

Elaterium	The inspissated juice of the Wild Cucumber	gr. $\frac{1}{2}$...gr. 3.
Electuarium cassiae	Electuary of Cassia ..	dr. 1...dr. 6.
— scammonii	Electuary of Scammony	scr. 1...dr. 1.
— sennae	Electuary of Senna ..	dr. $\frac{1}{2}$...dr. 4.

DOSES.

Extractum cacumini- nis genistæ	Extract of Broom Tops	scr. 1½...dr. 1½.
----- cascarillæ	Extract of Cascarilla	gr. 10...scr. 1½.
----- chamæ-	Extract of Camomile	gr. 10...scr. 2.
----- meli	Extract of Peruvian Bark	gr. 10...scr. 1½.
----- cinchonæ	Extract of Bark with the Resin ...	gr. 10...scr. 1½.
----- cum resinâ	Compound Extract of Bitter Apple	gr. 5...gr. 25.
----- colocyn- thidis compositum	Extract of Gentian	gr. 10...scr. 1½.
----- gentianæ	Extract of Licorice	dr. 1...dr. 4.
----- glycyrrhizæ	Extract of Logwood	gr. 10...gr. 2.
----- hæmatoxyli	Extract of Black Hellebore	gr. 2...gr. 10.
----- hellebori	Extract of Jalap ...	gr. 10...scr. 1.
----- nigri	Extract of White Poppies	gr. 1...gr. 5.
----- jalapil ...	Extract of Rue	gr. 10...scr. 1.
----- papaveris	Extract of Savin ...	gr. 10...scr. 1½.
----- albi	Extract of Senna ...	gr. 10...scr. 1½.
----- rutæ		
----- sabinæ ...		
----- sennæ ...		

F.

Ferri rubigo	Rust of Iron	gr. 6...scr. 1½.
Ferrum ammoniacale	Ammoniacal Iron ...	gr. 2...gr. 10.
----- tartarisatum	Tartarized Iron	gr. 2...gr. 10.
----- vitriolatum	Vitriolated Iron	gr. 1...gr. 6.
Filix	Male Fern Root	scr. 1½...un. ½.
Flores benzoes	Flowers of Benzoin	gr. 10...scr. 1.
----- sulphuris	Flowers of Sulphur	scr. 1...scr. 1½.

G.

DOSES.

Gambogia	Gamboge	gr. 2...gr. 12.
Genista	Broom Tops	scr. 1...dr. 1.
Gentiana	Gentian	gr. 10...dr. 1.
Ginseng		gr. 10...dr. 1.
Glycyrrhiza	Liquorice Root	dr. 4...dr. 6.
Guaiacum		scr. 1½...dr. 1.
Gummi resina	Gum-resin	gr. 6...scr. 1½.

H.

Hæmatoxylum.....	Logwood	gr. 10...dr. 1.
Helleborus niger ...	Black Hellebore	gr. 1...gr. 5.
Hydrargyrum	Quicksilver	un. ½...un. 4.
— acetatus	Acetated Quicksilver	gr. 1...gr. 10.
— calci-	Calcined Quicksilver	gr. ½...gr. 2.
natus		
— cum	Quicksilver with Chalk	gr. 5...scr. 1.
cretâ		
— muria-	Muriated Quicksilver	gr. ½...gr. ½.
tus		
— cum	Sulphurated Quick-	scr. 1...dr. 1.
sulphure	silver	
— sulphu-	Red sulphurated	gr. 10...scr. 1½.
ratus ruber	Quicksilver	
— vitrio-	Vitriolated Quicksil-	gr. ½...gr. 4.
latus	ver	

I.

Infusum gentianæ {	Compound Infusion of {	un. 2...un. 4.
compositum	Gentian	
— rosæ	Infusion of Roses	un. 2...lb. ½.
— sennæ	Simple infusion of {	un. 2...un. 4.
.....	Senna	

DOSES.

Infusum sennæ tar-	{	<i>Tartarised infusion of</i>	un. 2...un. 4.
tarisatum			
Ipecacuanha		<i>Senna</i>	gr. 10...scr. 1.
Iris		<i>Florentine Orris</i>	scr. 1...dr. 1.

J.

Jalapium	<i>Jalap</i>	gr. 7...scr. $\frac{1}{2}$.
Juniperus	<i>Juniper Berries</i>	scr. 1...dr. 1.

K.

Kino		gr. 10...scr. $1\frac{1}{2}$.
Kali præparatum ...	<i>Prepared Kali</i>	gr. 8...scr. 1.
— acetatum	<i>Acetated Kali</i>	scr. 1...dr. 1.
— tartarisatum ...	<i>Tartarised Kali</i>	dr. 2...dr. 6.
— vitriolatum ...	<i>Vitriolated Kali</i>	dr. 2...dr. 6.

L.

Lac ammoniaci	Milk of Ammoniacum	dr. 2...un. 1.
— amygdalæ	Milk of Almonds	un. 2...un. 6.
Liquor volatilis cor- nu cervi	{ Volatile Liquor of Hartshorn	sc. $1\frac{1}{2}$...dr. 2.

M.

Magnesia alba	<i>White Magnesia</i>	scr. 1...dr. 2.
— usta	<i>Burnt Magnesia</i>	scr. $1\frac{1}{2}$...dr. 1.
— vitriolata	<i>Vitriolated Magnesia</i>	dr. 2...dr. 6.
Manna		un. $\frac{1}{2}$...un. 3.
Mel acetatum	<i>Acetated Honey</i>	dr. 1...dr. 2.
— rosæ	<i>Rose Honey</i>	dr. 1...dr. 2.
— scillæ	<i>Squill Honey</i>	scr. $1\frac{1}{2}$...dr. 2.
Millepeda	<i>Woodlice</i>	dr. 1...dr. 3.

DOSES.

Mistura camporata	Camphorated Mixture	un. 2...un. 4.
— cretacea	Chalk Mixture	un. 2...un. 4.
— moschata ..	Musk Mixture	dr. 4...un. 2.
Mucilago amyli	Mucilage of Starch .	dr. 1...un. 1.
— arabici	Mucilage of Gum	} dr. 1...un. 1.
— gummi	Arabic	
— seminis	Mucilage of Quince-	
— cydonii mali	seed	dr. 1...un. 1.
— tragacan-	Mucilage of Traga-	} dr. 1...un. 1.
— the	canth	
Myrrha	Myrrh	gr. 10...scr. 1½.

Natron preparatum	Prepared Natron ...	gr. 10...scr. 1½.
— tartarisatum	Tartarised Natron .	dr. 4...un. 1.
— vitriolatum .	Vitriolated Natron ..	dr. 6...un. 1.
Nitrum purificatum	Purified Nitre	gr. 5...scr. 1.

O.

Oleum amygdalæ...	Oil of Almonds	dr. 4...un. 1.
— juniperi	} Oil of Juniper-ber-	} gtt. 2...gtt. 10.
— baccæ		
— lavendulæ	Oil of Lavender	gtt. 1...gtt. 5.
— lini	Oil of Linseed	dr. 4...un. 1.
— olivæ	Oil of Olives	dr. 4...un. 1.
— ricini	Castor Oil	dr. 2...un. 1.
— sinapeos ...	Oil of Mustard	dr. 4...un. 1.
Opium purificatum	Purified Opium	gr. ½...gr. 2.
Ostreorum testæ ...	Oyster-shells	scr. 1...dr. 1½.
Oxymel cochici	Oxymel Colchici	scr. 1...scr. 1½.
— scillæ	Oxymel of Squills ...	scr. 1½...dr. 1.

P.		DOSES.
Pilula aloes compo- sita	Compound Pills of Aloes	gr. 10...scr. 1.
— cum Myrrhā.....	Pills of Aloes with Myrrh	gr. 6...gr. 18.
— galbani com- posita	Compound Galbanum Pills	gr. 10...scr. 1½.
— hydrargyri	Quicksilver Pills	gr. 6...scr. 1.
— opii	Opium Pills	gr. 2...gr. 8.
— scillæ	Squill Pills	gr. 10...scr. 1.
Pimento	All-spice	gr. 5...scr. 1.
Pulvis alōes cum canellā	Aloetic Powder with canella	gr. 10...scr. 1.
— cum ferro	Aloetic Powder with Iron	gr. 8...gr. 18.
— cum guaiaco.....	Aloetic Powder with Guaiacum	gr. 10...scr. 1.
— antimonialis .	Antimonial Powder ..	gr. 3...gr. 6.
— aromaticus	Aromatic Powder ...	gr. 5...scr. 1.
— e chelis can- crorum compo- situs	Compound Powder of Crab's Claw	scr. 1½...dr. 1.
— contrayervæ compositus	Compound Powder of Contrayerva	gr. 15...scr. 1½.
— cretæ compo- situs	Compound Powder of Chalk	gr. 10...scr. 1.
— compo- situs cum opio ...	Compound Powder of Chalk with Opium ..	gr. 10...scr. 2.
— ipecacuanhæ compositus	Compound Powder of Ipecacuanha	gr. 18...scr. 1½.
— Myrrhæ com- positus	Compound Powder of Myrrh	gr. 15...scr. 1½.
— opiatus.....	Opium Powder	gr. 5...scr. 1.
— scammonii ...	Compound Powder of Scammony	gr. 10...scr. 1.
— compositus cum aloe	Powder of Scammony with aloe	gr. 5...gr. 10.

DOSES.

Pulvis scammonii	{ Powder of Scammony	gr. 8...gr. 16.
cum calomelane	{ with Calomel.....	
— sennæ compo-	Compound Powder of	scr. 1...scr. 2.
situs	Senna	
— tragacanthæ	Compound Powder of	scr. 1...dr. 1.
compositus	Tragacanth	
Pyrethrum	Pellitory of Spain ...	gr. 1...gr. 6.

Q.

Quassia	Quassy Wood.....	gr. 5...scr. 1.
Quercus	Oak Bark	gr. 6...scr. 1.

R.

Raphanus rusticus	Horse-radish	scr. 1...dr. 1.
Rhei	Rhubarb	gr. 15...scr. 2.
Ruta	Rue	gr. 15...scr. 1.

S.

Sal ammoniacus ...	Sal Ammoniac	gr. 8...scr. 1.
— cornu cervi	Salt of Hartshorn ...	gr. 10...scr. 1.
— succini purifica-	{ Purified Salt of Am-	
tus	ber	gr. 5...gr. 15.
Sapo	Soap	scr. 1½...dr. 4.
Sarsaparilla		scr. 1...scr. 1½.
Sassafras		scr. 1...dr. 1.
Scammonium	Scammony	gr. 5...scr. 1.
Scilla exsiccata	Dried Squills	gr. 1...gr. 3.
— recens	Fresh Squills	gr. 5...gr. 10.
Scordium	Water-germander ...	scr. 1...dr. 1.
Seneka		scr. 1...scr. 2.
Senna		scr. 1...dr. 1.
Serpentaria		gr. 10...scr. 2.
Simarouba	Simarouba Bark	gr. 10...scr. 1½.

DOSES.

Sinapi	Mustard-seed.....	dr. 1...dr. 3.
Spermaceti		scr. 1...dr. 1.
Spigelia	Indian Pink	gr. 10...scr. 1.
Spina cervinæ	Buckhorn	scr. 1½...dr. 2.
Spiritus ætheris vi-	Vitriolic Spirit of	gtt. 20...gtt. 60.
trilici	Æther	
— vi-	Compound Spirit of	gtt. 20...gtt. 60.
trilici compositus	vitriolic Æther...	
— ni-	Nitrous Spirit of	gtt. 20...gtt. 60.
trosi	Æther	
— ammoniæ	Spirit of Ammonia ..	scr. 1..scr. 2.
—	Compound Spirit of	scr. 1½...dr. 1.
compositus	Ammonia	
—	Fætid Spirit of Am-	scr. 1...scr. 2.
fætidus	monia	
—	Succinated Spirit of	gr. 10...scr. 1.
succinatus.....	Ammonia	
— anisi com-	Compound Spirit of	dr. 1...dr. 4.
positus	Aniseed	
— carui	Spirit of Caraway ..	dr. 1...dr. 4.
— cinnamomi	Spirit of Cinnamon ..	dr. 1...dr. 4.
— juniperi	Compound Spirit of	dr. 1...dr. 4.
compositus	Juniper.....	
— lavendulæ .	Spirit of Lavender ..	dr. 1...dr. 4.
—	Compound Spirit of	scr. 1½...dr. 2.
compositus	Lavender.....	
— menthæ pi-	Spirit of Peppermint ..	dr. 1...dr. 3.
peritidis		
— sa-	Spirit of Spearmint ..	dr. 1...dr. 4.
tivæ		
— nucis mos-	Spirit of Nutmeg	dr. 1...dr. 4.
chatæ		dr. 1...dr. 3.
— pimento	Spirit of Pimento ...	
— pulegii	Spirit of Pennyroyal ..	dr. 1...dr. 3.
— raphani	Compound Spirit of	dr. 1...dr. 3.
compositus	Horse-radish	
Spongia usta.....	Burnt Sponge	scr. 1...dr. 1.
Stanni pulvis	Powder of Tin	dr. 1...dr. 6.
Styrax	Storax	gr. 10...scr. 1.

DOSES.

Succinum præparatum	Prepared Amber	scr. 1½...dr. 1.
Succus aconiti spissatus	Infused juice of Henbane	gr. 1...gr. 4.
— baccæ sambuci spissatus	Infused Juice of Elderberry	un. ½...un. 2.
— cicutæ spissatus	Infused Juice of Hemlock	gr. 2...gr. 10.
— cochleanæ compositus	Compound Juice of Scurvy-grass	un. 2...un. 6.
— ribris nigri	Infused Juice of Black Currant	un. ½...un. 2.
Sulphur antimonii præcipitatum	Precipitated Sulphur of Antimony	gr. 2...gr. 5.
— præcipitatum	Precipitated Sulphur	dr. 1...dr. 2.
Syrupus althææ	Syrup of Marsh-mallow	dr. 1...dr. 2.
— papaveris albi	Syrup of White Poppies	dr. 4...un. 1.
— erratici	Syrup of wild Poppy	dr. 2...dr. 4.
— rosæ	Syrup of Rose	dr. 1...dr. 2.
— spinæ cervinæ	Syrup of Buckthorn	dr. 1...dr. 2.
— violæ	Syrup of Violets	dr. 1...dr. 2.
— zingiberis	Syrup of Ginger	dr. 1...dr. 2.

T.

Tanacetum	Dandelion	scr. 1½...dr. 1.
Tartari crystalli	Crystals of Tartar	dr. 4...un. 1.
Tinctura aloës	Tincture of Aloes	dr. 4...un. 1.
— composita	Compound Tincture of Aloes	scr. 1½...dr. 2.
— asæfetidæ	Tincture of Asæfetida	scr. 1...dr. 2.
— balsami peruviani	Tincture of Balsam of Peru	scr. 1½...dr. 2.

		DOSES.
Tinctura balsami to-	Tincture of Balsam	scr. $1\frac{1}{2}$...dr. 2.
lutani	of Tolu	
— benzoës	Compound Tincture of	dr. 1...dr. 2.
composita	Benjamin	
— cantharidis	Tincture of the Spa-	gr. 10...dr. 1.
	nish Fly	
— cardamomi	Tincture of Carda-	dr. 1...dr. 3.
	mom	
— composita	Compound Tincture of	dr. 1...dr. 3.
	Cardamom	
— cascarillæ ..	Tincture of Casca-	dr. 1...dr. 4.
	rilla	
— castrei	Tincture of Castor ...	scr. 1...dr. $1\frac{1}{2}$.
— catechu	Tincture of Catechu ..	dr. 2...dr. 3.
— cinchonæ ...	Tincture of Bark	dr. 1...dr. 4.
— composita	Compound Tincture of	dr. 2...dr. 4.
	Bark	
— ammoniata	Ammoniated Tincture	scr. $1\frac{1}{2}$...dr. 2.
	of Bark	
— cinnamomi	Tincture of Cinna-	dr. 1...dr. 3.
	mon	
— composita	Compound Tincture of	dr. 1...dr. 3.
	Cinnamon	
— colombæ ...	Tincture of Colomba	dr. 1...dr. 3.
— ferri ammo-	Tincture of Ammoni-	
niacalis	acal Iron	scr. 1...dr. 2.
— ferri muriati	Tincture of Muriated	gtt. 10...gtt. 60.
	Iron	
— galbani	Tincture of Galba-	dr. 1...dr. 3.
	num	
— gentianæ	Compound Tincture of	dr. 2...dr. 3.
composita	Gentian	
— guaiaci am-	Tincture of Ammoni-	dr. 1...dr. 4.
moniata	ated Guaiacum ...	
— helebori ni-	Tincture of Black	scr. 1...dr. 1.
gri	Hellebore	
— jalapii	Tincture of Jalap ...	dr. 1...dr. 3.
— myrrhæ	Tincture of Myrrh ...	dr. 1...dr. 2.

DOSES.		
Tinctura opii	Tincture of Opium ...	gtt.20...gtt.25.
— camphorata	Camphorated Tincture of Opium ...	gtt.30...gtt.60.
— rhabarbari	Tincture of Rhubarb	dr. 4...un. 2.
— composita	Compound Tincture of Rhubarb	dr. 4...un. 2.
— Sabinæ composita	Compound Tincture of Savin	gtt.20...gtt.40.
— scillæ	Tincture of Squills...	gtt.20...gtt.60.
— sennæ	Tincture of Senna ...	dr. 2...un. 1.
— serpentariæ	Tincture of Serpentaria	dr. 1...dr. 2.
— valerianæ ...	Tincture of Valerian	dr. 1...dr. 3.
— ammoniata	Ammoniated Tincture of Valerian	scr. 1...dr. 2.
— zingiberis ..	Tincture of Ginger ..	dr. 1...dr. 2.
Tormentilla	Tormentil Root	gr. 10...scr. 2.
Tragacantha.....	Tragacanth	gr. 10...dr. 1.

V.

Valeriana	Valerian	scr. 1...dr. 2.
Vinum aloes	Wine of Aloes	dr. 6...un. 1.
— antimonii...	Antimonial Wine ...	gtt.20...gtt.50.
— tartarisati	Wine of Tartarised Antimony	gtt.20...gtt.50.
— ferri	Wine of Iron	dr. 1...dr. 4.
— ipecacuanhæ ..	Ipecacuanha Wine ...	dr. 1...dr. 4.
— rhabarbari ..	Wine of Rhubarb ...	dr. 4...un. 2.
Uva ursi	Bear's Whortleberry	scr. 1...dr. 1.

Z.

Zincum calcinatum	Calcined Zinc	gr. 3...gr. 10.
— vitriolatum	Purified Vitriolated Zinc	gr. 5...scr. 1.
— purificatum		

INDEX

NOMINUM MUTATORUM.

FORMER NAMES.

NEW NAMES.

A.

Acetum scilliticum.
Ethiops mineralis.
Aqua aluminosa hoteana.
 — calcis simplex.
 — cinnamomi simplex.
 — spirituosa.
 — hordeata.
 — juniperi composita.
 — menthæ piperitidis simplex.
 — spirituosa.
 — vulgaris simplex.
 — spirituosa.
 — nucis moschatæ.
 — piperis jamaicensis.
 — pulegii simplex.
 — spirituosa.
 — raphani composita.
 — rosarum damasconarum.
 — sapphirina.
 — seminum anethi.
 — anisi composita.
 — carui.
Aqua vitriolica camphorata.

Acetum scillæ.
Hydrargyrum cum sulphure.
Aqua aluminis composita.
 — calcis.
 — cinnamomi.
Spiritus cinnamomi.
Decoctum hordei.
Spiritus juniperi compositus.
Aqua menthæ piperitidis.
Spiritus menthæ piperitidis.
Aqua menthæ sativæ.
Spiritus menthæ sativæ.
 — nucis moschatæ.
Aqua pimento.
 — pulegii.
Spiritus pulegii.
 — raphani compositus.
Aqua rosæ.
 — cupri ammoniati.
 — anethi.
Spiritus anisi compositus.
 — carui.
Aqua zinci vitriolati cum camphora.

FORMER NAMES.

NEW NAMES.

B.

Bulsum sulphuris barbadense.
 ————— *simplex.*
 ————— *traumaticum.*

Petroleum sulphuratum.
 Oleum sulphuratum.
 Tinctura benzoës composita.

C.

Calx antimonii.
Causticum antimoniale.
 ————— *commune fortius.*
 ————— *lunare.*
Ceratum album.
 ————— *citrinum.*
 ————— *ophuloticum.*
Chalybis rubigo præparata.
Cinnabaris factitia.
Confectio cardiaca.

Antimonium calcinatum.
 ————— *muriatum.*
 Calx cum kali puro.
 Argentum nitratum.
 Ceratum spermatis ceti.
 ————— *resinæ flavæ.*
 ————— *lapis calaminaris.*
 Ferri rubigo.
 Hydrargyrum sulphuratum ruber
 Confectio aromatica.

D.

Decoctum album.
 ————— *commune pro clystere.*
 ————— *pectorale.*

Decoctum cornu cervi.
 ————— *pro enemate.*
 ————— *hordei compositum.*

E.

Electarium lenitivum.
Elixir aloes.
 ————— *myrrhæ compositum.*
 ————— *paregoricum.*
Emplastrum ex ammoniaco cum
mercurio.
 ————— *attrahens.*
 ————— *cephalicum.*
 ————— *commune.*
 ————— *adhæsi-*
vum.

Electuarium e sennâ.
 Tinctura aloës composita.
 ————— *sabinæ composita.*
 ————— *opii camphorata.*
 Emplastrum ammoniaci cum
 hydrargyro.
 ————— *ceræ.*
 ————— *pice burgundicæ.*
 ————— *lithargyri.*
 ————— *cum re-*
sina.

FORMER NAMES.

NEW NAMES.

*Emplastrum commune cum gummi.**Emplastrum lithargyri cum gummi.**_____ cum mer-*
*curio.**_____ cum*
*hydrargyro.**_____ e cymino.**_____ cumini.**_____ roborans.**_____ thuris.**_____ e sapone.**_____ saponis.**_____ stomachicum.**_____ ladani.**_____ vesicatorium.**_____ cantharidis.**Emulsio communis.**Lac amygdalæ.**Extractum catharticum.**Extractum e colocynthide**compositum.**_____ thebæicum.**Opium purificatum.*

F.

*Flores benzoini.**Flores benzoës.**_____ martiales.**Ferrum ammoniacale.**Fotus communis.**Decoctum pro fomento.*

H.

*Hiera picra.**Pulvis aloëticus.*

I.

*Infusum amarum simplex.**Infusum gentiane composi-*
*tum.**_____ sennæ commune.**_____ sennæ tartarisatum.**Fulepum e camphorâ.**Mistura camphorata.**_____ e cretâ.**_____ cretacea.**_____ e moscho.**_____ moschata.*

L.

*Linimentum album.**Unguentum spermatidis ceti.**_____ saponaceum.**Linimentum saponis.**_____ volatile.**_____ ammoniæ.**Lixivium saponarium.**Aqua kali puri.**_____ tartar.**_____ kali.**L*

FORMER NAMES.

NEW NAMES.

*Mel Ægyptiacum.**— rosaceum.**Mercurius calcinatus.**— corrosivus sublimatus.**— ruber.**— dulcis sublimatus.**— emeticus flavus.**— præcipitatus albus.**Oxymel æuginis.**Mel rosæ.**Hydrargyrus calcinatus.**— muriatus.**— nitratus ruber.**Calomelas.**Hydrargyrus vitriolatus.**Calx hydrargyri alba.*

N.

*Nitrum vitriolatum.**Kali vitriolatum.*

O.

*Oleum petrolei barbadensis.**— terebinthinæ æthereum.**Opium colatum.**Oxymel scilliticum.**Oleum petrolei.**— terebinthinæ rectificatum.**Opium purificatum.**Oxymel scillæ.*

P.

*Philonium Londinense.**Pilulæ aromaticæ.**— rufæ.**Pulvis e bolo compositus.**— cum**opio.**— e cerussa compositus.**— sternutatorius.**Confectio opiata.**Pulvis aloëticus cum guaiaco.**Pilulæ ex aloë cum myrrha.**Pulvis e creta compositus.**— cum**opio.**— e cerussa.**— asari compositus.*

R.

*Rob baccarum sambuci.**Succus baccae sambuci spissatus.*

FORMER NAMES.

NEW NAMES.

S.

Saccharum saturni.
Sal absinthii.
 — *catharticus glauberi.*
 — *diureticus.*
 — *martis.*
 — *tartari.*
 — *vitrioli.*
 — *volatilis salis ammoniaci.*
Species aromaticæ.
Spiritus cornu cervi.
 — *lavendulæ compositus.*
 — *simplex.*
 — *nitri dulcis.*
 — *glauberi.*
 — *salis ammoniaci.*
 — *dulcis.*
 — *marini glauberi.*
 — *vinosus camphoratus.*
 — *vitrioli dulcis.*
 — *volatilis aromaticus.*
 — *fætidus.*
Succi scorbutici.
Syrupus ex althæâ.
 — *e corticibus aurantiorum.*
 — *balsamicus.*
 — *e meconio.*
 — *rosarum solutivus.*

Cerussa acetata.
Kali præparatum.
Natron vitriolatum.
Kali acetatum.
Ferrum vitriolatum.
Kali præparatum.
Zincum vitriolatum.
Ammonia præparata.
Pulvis aromaticus.
Liquor volatilis cornu cervi.
Tinctura lavendulæ composita.
Spiritus lavendulæ.
 — *ætheris nitrosi.*
Acidum nitrosum.
Aqua ammoniæ.
Spiritus ammoniæ.
Acidum muriaticum.
Spiritus camphoratus.
 — *ætheris vitrioli.*
 — *ammoniæ compositus.*
 — *fætidus.*
Succus cochleariæ compositus.
Syrupus althææ.
 — *corticis aurantii.*
 — *solutivus.*
 — *papaveris albi.*
 — *rosæ.*

T.

Tabellæ cardialgicæ.
Tartarum emeticum.
 — *solubile.*
 — *vitriolatum.*

Trochisci e creta.
Antimonium tartarissatum.
Kali tartarissatum.
 — *vitriolatum.*

FORMER NAMES.

Tinctura amara.
 ——— *aromatica.*
 ——— *foetida.*
 ——— *guaiacina volatilis.*
 ——— *japonica.*
 ——— *martis in spiritu salis.*
 ——— *melampodii.*
 ——— *rhabarbari spiritiosa.*
 ——— *vinosa.*
 ——— *rosarum.*
 ——— *sacra.*
 ——— *stomachica.*

Trochisci bechici albi.
 ——— *nigri.*

NEW NAMES.

Tinctura gentianæ compo-
sita.
 ——— *cinnamomi com-*
posita.
 ——— *asa foetidæ.*
 ——— *guaiaci.*
 ——— *catechu.*
 ——— *ferri muriati.*
 ——— *hellebori nigri.*
 ——— *rhabarbari.*
Vinum rhabarbari.
Infusum rosæ.
Vinum aloës.
Tinctura cardamomi com-
posita.
Trochisci ex amylo.
 ——— *c glycyrrhiza.*

V.

Vinum antimoniale.
 ——— *chalybeatum.*
Unguentum album.
 ——— *basilicum flavum.*
 ——— *cæruleum fortius.*
 ——— *mitius.*
 ——— *e mercurio præcipi-*
tato.
 ——— *saturninum.*
 ——— *simplex.*

Vinum antimonii.
 ——— *ferri.*
Unguentum ceræ.
 ——— *resinæ flavæ.*
 ——— *hydrargyri for-*
tius.
 ——— *mitius.*
 ——— *calcis hydrargyri*
albæ.
 ——— *cerussæ acetatæ.*
 ——— *adipis suillæ.*

FINIS.

Speedily will be published,

PLATES

OF

THE HEART,

ILLUSTRATIVE OF

THE CIRCULATION OF THE BLOOD;

AND THE

EFFECTS OF OXYGEN AIR ON THE BLOOD.

BY

ROBERT JOHN THORNTON, M. D.

Late of Trinity College, Cambridge; Lecturer on Medical Botany at Guy's Hospital; one of the Council in the Botanical Department of the London Medical Society; Physician to the General Dispensary; Honorary Member of the Physical Societies of Guy's and Bartholomew's Hospitals, and of the Lyceum Medicum Londinense, &c. Author of Medical Extracts on the Nature of Health, with Practical Observations, including the Laws of the Nervous and Fibrous Systems; and of Letters to Dr. Beddoes on the Theory and Practice of Pneumatic Medicine, and the Politician's Creed; and now publishing in Numbers, a New Illustration of the Sexual System of Linnaeus.

LONDON:

PRINTED BY C. WHITTINGHAM,

For Symonds, Paternoster-row; and sold by Cox, St. Thomas's-street, Borough; Johnson, St. Paul's Church-yard; Murray and Highley, Fleet-street; Bell and Bradfute, Edinburgh; Archer, Dublin; Campbell, Philadelphia; and Allen, New York.

DR. THORNTON'S MEDICAL EXTRACTS.

In the Press, and speedily will be published,

IN FIVE LARGE AND ELEGANT VOLUMES OCTAVO;

ILLUSTRATED BY MANY NEW ANATOMICAL PLATES,

AND THE

HEADS OF THE MOST EMINENT TEACHERS OF MEDICINE:

MEDICAL EXTRACTS,

ON THE

NATURE OF HEALTH & DISEASE,

WITH

PRACTICAL OBSERVATIONS,

INCLUDING THE

LAWS OF THE ANIMAL ŒCONOMY,

AND THE

DOCTRINES OF PNEUMATIC MEDICINE.

THE FOURTH EDITION,

INCLUDING VERY CONSIDERABLE ADDITIONS.

LONDON:

Printed for H. D. Symonds, Paternoster-row; J. Johnson, St. Paul's Church-yard; T. Cox, St. Thomas's-street, Borough; Murray and Highley, Fleet-street; Richardson, Royal Exchange; Cuthell, Middle-row, Holborn; Bell and Bradfute, Edinburgh; and J. Archer, Dublin.